



STAGE EQUIPMENT


COMPRISING
CURTAIN CONTROL GEAR AND TRACKS
SAFETY CURTAINS
STAGE LIFTS
PORTABLE AND FIT-UP STAGES
SCREEN FRAMES
AND
ACCESSORIES

'KNIGHT'



THEATRE

PRODUCT




TYPICAL SAFETY
CURTAIN LAYOUT.




G.B.-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON, W.1.

TYPICAL ROLLER TYPE SAFETY CURTAIN LAYOUT



G.B.-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON, W.1.

SINGLE PURCHASE COUNTERWEIGHTING.
(GENERAL ARRANGEMENT.)




G.B.-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON, W.1.

ELECTRIC CURTAIN CONTROLS.

THE K49/MK I.

PURPOSE DESIGNED UNITS FOR USE WITH CINEMA
SCREEN CURTAINS AND PROSCENIUM CURTAINS
WEIGHING UP TO 400 LBS.



TOTALLY ENCLOSED OILTIGHT GEAR BOX, WITH SILENT BALL-BEARING WORM REDUCTION DRIVE.

INBUILT UNDAMAGEABLE LIMIT GEARING, DRIVING LARGE DIAMETER EASILY ADJUSTABLE CAMS FOR DETERMINING FULL OPEN AND CLOSED POSITIONS. SPECIALLY DESIGNED LIMIT AND CHANGE OVER SWITCHES MOUNTED ON GEAR-BOX.

INSTANTLY OPERABLE MANUAL OPERATION WITHOUT DISTURBANCE OF GEARING OR LIMIT SETTINGS.

AVAILABLE WITH MOTORS OF 1/6TH TO 3/4 H.P. SINGLE OR 3 PHASE AND D.C. CONTROL EITHER BY PUSH BUTTONS, OPERATING THROUGH TOTALLY ENCLOSED INTERLOCKED REVERSING CONTACTORS GIVING OPEN-CLOSE AND STOP, OR SINGLE SWITCHING GIVING OPEN AND CLOSE ONLY.

HELICALLY MACHINED GROOVED HAULING DRUMS OF 4 ALTERNATIVE DIAMETERS GIVING REVEAL SPEED OF 2 1/2, 3 3/4 OR 5 FEET PER SECOND.



G.B.-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON, W.1.


EVERYTHING
CINEMA, THEATRE



FOR THE
& ASSEMBLY HALL

ELECTRIC CURTAIN CONTROLS. THE K50/MKM.

PURPOSE DESIGNED FOR SUB-STANDARD CINE SCREENS.
SHOWROOM DISPLAYS, LARGE HOTEL AND DOMESTIC
WINDOW CURTAINS UP TO 12'-0" (4 METRE) OVERALL LENGTH
OF TRACK.



TOTALLY ENCLOSED MOTOR AND OILTIGHT GEAR BOX.

SILENT BALL-BEARING WORM REDUCTION GEARING.

INBUILT UNDAMAGABLE LIMIT SWITCH GEARING, UNAFFECTED BY
MANUAL OPERATION, LIMIT SWITCHES, ENCLOSED IN BASE WITH
EASILY ADJUSTABLE CAMS AUTOMATICALLY STOP CURTAINS WHEN
FULLY OPEN OR CLOSED.

EMERGENCY HAND WORKING.

OPENING SPEED :- ONE FOOT OF REVEAL PER SECOND.

AVAILABLE FOR STANDARD 50^c/s SINGLE PHASE 200-250V SUPPLIES.



G.B.-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON, W.1.

PRICE LIST

Prices are subject to fluctuation, and Invoices will be rendered at prices ruling at time of dispatch.

Sept. 1951.

GENERAL PURPOSE MODEL K.49/MK.1A

For use with tracks from 12' 0" to 50' 0" in length for Theatre and Cinema Front Curtains and Cinema Screen Curtains.

PUSH BUTTON TYPE—OPEN CLOSE and STOP, from one or more points.

MEDIUM TO HEAVY DUTY

H.P.	Track length not over	Max. Weight of curtains Lbs.	Drum Dia.	Reveal Speed Feet per Second	3 Phase A.C.			1 Phase A.C.			D.C.		
					£	s.	d.	£	s.	d.	£	s.	d.
1/6	20' 0"	60	4"	2½	52	- 2	- 10	52	- 2	- 10	55	- 8	- 10
1/4	30' 0"	120	4" or 6"	2½ or 3½	55	- 8	- 10	55	- 8	- 10	59	- 16	- 10
1/2	40' 0"	200	6" or 8"	3½ or 5	59	- 16	- 10	59	- 16	- 10	65	- 6	- 10
3/4	50' 0"	400	8"	5	64	- 4	- 10	67	- 10	- 10	72	- 3	- 2

SINGLE SWITCH TYPE—OPEN and CLOSE only.

LIGHT TO MEDIUM DUTY, for unlined curtains

1/6	20' 0"	60	4"	2½	40	- 5	- 0	40	- 5	- 0	43	- 2	- 6
1/4	30' 0"	120	4" or 6"	2½ or 3½	43	- 14	- 0	43	- 14	- 0	47	- 14	- 6
1/2	40' 0"	150	6"	3½	48	- 6	- 0	48	- 6	- 0	52	- 6	- 6

SINGLE SWITCH TYPE—OPEN and CLOSE only.

HEAVY DUTY, for heavy velour and lined curtains

1/2	40' 0"	300	6" or 8"	3½ or 5	52	- 18	- 0	52	- 18	- 0	Not available		
3/4	50' 0"	400	8"	5	57	- 10	- 0	Not available			Not available		

Extra Push Buttons, per set £1 - 19 - 0

Extra for dual open limit £8 - 5 - 0

All units comprise motor direct coupled to purpose-designed totally enclosed worm reduction gear box with inbuilt gear driven limits and machined grooved hauling drum

Also available K.49/Mk.M Miniature controller for tracks up to 12' 0" overall length.

and K.49/Mk.2 }
K.49/Mk.3 } for the longest tracks and heaviest curtains.

SINGLE SWITCHING CONTROL
(Open-Close only)


A.C. K50 MKM. TYPE ACI. £25.17.6

PUSH BUTTON CONTROL
(Open-Close only)

A.C. K50 MKM. TYPE ACP. £35.15.0



TAB-RAILS.



INDEX LETTER	A	B	C	D	E	F	G	H	J	K	L	M	N	O	P	Q	R	S	
RAIL	A	3¼	2¾	6"	6¼	1½	6"	9¾	1½	8¾	1½	9"	6½	1½	6¾	3'-0"	12'-0"	1¾	3/8"
TYPE	B	2¾	2½	5¼	5¾	1"	4"	7¼	¾	6½	¾	7"	4½	1½	6½	2'-0"	8'-0"	1½	5/16"

P:- CENTRE OVERLAP - HALF ON EACH SECTION.

Q:- APPROX DIMENSION BETWEEN SUSPENSIONS.



G.B-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON, W.1.

PRICE LIST

Prices are subject to fluctuation, and Invoices will be rendered at prices ruling at time of dispatch.

Sept. 1951.

CURTAIN TRACKS

Complete with Pulleys, Bobbins and Universal fixing brackets.

Threaded with sash cord for hand working, or wire rope for drum operation or power working.

Spring tensioning pulleys fitted as standard on wire rope reeved tracks.

EXTRA LIGHT TUBULAR

10ft.	£ 6.	1.	6d.	14ft.	£ 6.	8.	8d.
11ft.	£ 6.	3.	0d.	15ft.	£ 6.	8.	10d.
12ft.	£ 6.	4.	7d.	16ft.	£ 6.	9.	0d.
13ft.	£ 6.	7.	2d.	17ft.	£ 6.	11.	10d.

LIGHT TUBULAR

18ft.	£ 9.	16.	7d.	27ft.	£12.	16.	6d.
19ft.	£10.	2.	8d.	28ft.	£13.	8.	0d.
20ft.	£10.	8.	9d.	29ft.	£13.	19.	6d.
21ft.	£10.	14.	9d.	30ft.	£14.	11.	0d.
22ft.	£11.	0.	10d.	31ft.	£15.	3.	1d.
23ft.	£11.	6.	10d.	32ft.	£15.	13.	11d.
24ft.	£11.	12.	11d.	33ft.	£16.	5.	6d.
25ft.	£11.	19.	0d.	34ft.	£16.	16.	10d.
26ft.	£12.	5.	0d.	35ft.	£17.	8.	6d.


HEAVY TUBULAR

36ft.	£19.	16.	1d.	46ft.	£23.	15.	9d.
37ft.	£20.	4.	1d.	47ft.	£24.	3.	10d.
38ft.	£20.	12.	0d.	48ft.	£24.	11.	10d.
39ft.	£20.	19.	11d.	49ft.	£24.	19.	10d.
40ft.	£21.	7.	11d.	50ft.	£25.	8.	4d.
41ft.	£21.	15.	11d.	51ft.	£25.	15.	11d.
42ft.	£22.	4.	0d.	52ft.	£26.	3.	10d.
43ft.	£22.	11.	11d.	53ft.	£26.	11.	9d.
44ft.	£22.	19.	10d.	54ft.	£26.	19.	8d.
45ft.	£23.	7.	10d.	55ft.	£27.	7.	8d.



G.B.-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON.

TYPICAL CHAIN SUSPENDED LIFT



MOTOR UNIT CAN BE FITTED AT
THE BACK OR EITHER END.


FOR ORGAN CONSOLES, PIANO
AND STAGE PLATFORMS.



G.B.-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON, W.1.


MOBILE SCREEN

WITH STRAIGHT EDGE CURTAIN GEAR & MOTOR UNIT




G.B.-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON, W.1.

TUBULAR SCREEN FRAME




G.B.-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON, W.1.


PULLEYS



GIRDER FIXING TYPE 100.



UPRIGHT TYPE 101



AWNING TYPE 102.




PLATE ACROSS TYPE 103
" ALONG " 104



G.B.-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON, W.1.




EVERYTHING
CINEMA, THEATRE



FOR THE
& ASSEMBLY HALL

GIRDER FIXING PULLEYS

TYPE 100




D.E.F.G.&H. FIXING HOLES FOR 3" 4" 4 1/2" 5" & 6" GIRDERS.

	3" DIAMETER PULLEY			4" DIAMETER PULLEY			6" DIAMETER PULLEY		
	'A'	'B'	'C'	'A'	'B'	'C'	'A'	'B'	'C'
SINGLE	4"	1 3/4"	5 1/8"	4 5/8"	1 3/4"	6 5/8"	6 5/8"	2"	9"
DOUBLE	4"	3 1/8"	5 1/8"	4 5/8"	3 3/8"	6 5/8"	6 5/8"	3 3/8"	9"
TREBLE	4"	4 3/8"	5 1/8"	4 5/8"	4 5/8"	6 5/8"	6 5/8"	4 5/8"	9"
FOURWAY.	4"	5 5/8"	5 1/8"	4 5/8"	5 7/8"	6 5/8"	6 5/8"	5 7/8"	9"




G.B.-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON, W.1.



WALL WINCH.



WEIGHTED HAND LINE
PULLEY.



FLOOR WINCH.





G.B.-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON, W.1.

EVERYTHING
CINEMA, THEATRE




FOR THE
& ASSEMBLY HALL

GRID PULLEYS (ROPE) TYPE 105





DIMENSION 'B' 4 $\frac{3}{8}$ " 5 $\frac{3}{4}$ " 6 $\frac{3}{8}$ " & 8" FOR SINGLE-DOUBLE-TREBLE-& FOURWAY.
THESE DIMENSIONS ARE CONSTANT FOR 3" 4" 6" DIAMETER PULLEYS.
DIMENSION 'A' SUPPLIED BY CUSTOMER.

AWNING PULLEYS



TYPE 102



TYPE 102A.
RING ACROSS OR ALONG.

AVAILABLE WITH 2"-3"-4"& 6" DIAMETER PULLEYS.



G.B.-KALEE LTD., MORTIMER HOUSE, 37-41, MORTIMER STREET, LONDON, W.1.



The Largest Organisation of its Kind in the World
Supplying everything for the Cinema, Theatre and Assembly Hall

G. B-KALEE LTD

Head Office :

MORTIMER HOUSE, 37-41 MORTIMER STREET, LONDON, W.1
Telephone : MUSeum 5432 Telegrams : GEBEKAY, WESDO, LONDON

London Branch and Showrooms :

NATIONAL HOUSE, 60-66 WARDOUR STREET, W. 1 GERrard 9531

Branches at

BELFAST

43 Donegall Street
Telephone : 27065

BIRMINGHAM

37 John Bright Street
Telephone : Midland 2351

CARDIFF

9 Park Lane
Telephone : 7676

GLASGOW

211 Hope Street
Telephone : Douglas 0601

LEEDS

17 Wellington Street
Telephone : 20597

LIVERPOOL

11 Commutation Row
Telephone : North 1896-7

MANCHESTER

5 The Parsonage
Telephone : Blackfriars 1428

NEWCASTLE-ON-TYNE

2 Cross Street
Telephone : 23038



Factories at

LONDON LEEDS STANMORE
MITCHELDEAN HIGH WYCOMBE

