GEORGE PALMER'S CINEMA SUPPLIES



GEORGE PALMER

Universal Cinema Supplies Ltd.


Showrooms and Offices:


13, Gerrard Street, Shaftesbury Avenue, London, W.1

Workshops and Stores:

45, Gerrard St., W.1., also 7 &8, Midford Place, Tottenham Court Rd., London, W.1

Telephones: Regent 1475 or Regent 5475. "GEREMLAPSI," London.





GEORGE PALMER

Supplies Ltd.,

SHOWROOMS and OFFICES: 13, Gerrard Street, Shaftesbury Avenue,

London, W.1

Telephones: Regent 1475 or Regent 5475. "GEREMLAPSI," London.

Workshops? and Stores:

45, GERRARD STREET, W.1. also 7 & 8, MIDFORD PLACE, TOTTENHAM COURT ROAD, **CLONDON, W.1**

Conditions of Sale.

On account of the conditions prevailing, Prices are subject to alteration without notice, and we cannot undertake, in all cases, to supply strictly to illustration.

Our Terms are Cash with Order, or on Approved References.

TRANSIT.

All goods are sent at Consignee's Risk. Every care is taken, but we do not hold ourselves responsible for loss or damage in transit. We suggest that Customers should sign for all goods as "Unexamined." Customers must claim on Carriers.

CASES AND PACKING.

Same are charged at cost price, and are allowed for in full, if returned within 21 days after date of invoice, carriage paid in good condition, with packing, and we are advised of the return.

DELIVERY.

All consignments are sent carriage forward, and in the event of Carriers only accepting Goods Carriage Paid, we will pay same, and charge customers.

COLONIAL AND FOREIGN ORDERS.

In all cases, remittance in English sterling, payable in London, must accompany order, with full instructions as to shipment, etc.

BANKERS.

Barclays Bank. All cheques and remittances should be crossed.

CODE.

A.B.C. 5th Edition, and Western Union.

SHIPPING ORDERS.

Have our immediate and careful attention, and are packed in strong wooden cases, unless otherwise specified.
All Goods delivered free to London Docks.
Remittances MUST accompany the order.
Copies of Orders sent through merchants should be sent direct to us to prevent mistakes.

ARE YOU ON OUR MAILING LIST FOR LATEST NOVELTIES?

INDEX

A		Page		Page
Accessories for Cine Motors		9	Black Jet Coating for Screen Borders	12
Adaptors for Cine Carbons		9	Black and White Opaque Lantern Slides	12
Adjustable Arc Lamp Trays		9	Blankets, Fireproof, All Wool, also Asbestos for	
Adjustable Iron Stands for Kalee, Power,			Operating Room	12
Ernemann and Gaumont Machines		22	Blocks, Capstan Terminal for Main Cine Cables	s 12
Adjustable Music Stands		28	Brackets for Fire and Sand Buckets	12
Admission Tickets, Paper, All Prices		32	Brand New Cine Projectors—All makes Supplied	
Admission Tickets, Metal		28	D A.1 M. M. 1 T. 1	11
Advertiser's Keystone—" Electric Spit"			D C1: 1 C :	12
All Adjustable Music Stands		28	D D . D	12
		9	D	
All Makes of Projectors		18, 30		12
All Metal Spool and Film Rewinders			Buckets, Fire	12
Alternating Current Maters for Cine Project		9	Bulbs, for Electric Torches	12
Alternating Current Motors for Cine Project				
Announcement and Portrait Slides		27		
Announcement Plates. Black and White		27		
Announcement Slides Radio Matt		35		
Announcement Slips for Posters		29		
Arc Lamps—				
Mirror Arc Lamps.—Hans Goerz		10		
Mirror Arc Lamps—Standard Pattern		10		
Mirror Arc Lamps—Kalee		10	C	
Mirror Arc Lamps—Kalee High Power		10	Capstan Terminal Blocks	12
Mirror Arc Lamps—Ernemann		10	Carbons—	12
Mirror Arc Lamp—Slide Attachment		10	"Siemen" Bio Mirror Arc Carbons for	
Scissors Arc Lamp		9	Direct Current	12 14
Heavy Six Movement Arc Lamp		9	"Siemen" "S.A." Mirror Arc Carbons	
Arc Lamp Leads		9	Etma Cambana	
Arc Lamp, Lantern Pattern		9	Kinarko S.D.N. Carbons for Continuous	14
Arc Resistances for Mirror Arc Lamps a	and			14
Standard Arc Lamps		33-34	Tr. 1 D ::: C 1	14
Artistic Photo Frames		29	Kinarko Positive Carbons	14
Artistic Poster Frames		29	Carbon Adaptors and Savers	9
Artistic Programme Frames		29	Carbon Brushes for Cine Motors	12
Asbestos String		9	Carbon Holders for Mirror Arc Lamps	12
Aspestos Curtains		9	Carbons that Burn Brightest	14
Ash Trays, Fixed and Tip-up Patterns		11	Cardboard Letters for Programme Frames	30
Asbestos Covered Arc Lamp Leads		9	Cash Discounts off Siemens Carbons	13
Attendants' Electric Torches		38	Cash Discounts off Kinarko Carbons	14
Automatic Fireproof Safety Shutters		11	Cement, Film, Ordinary	20
Automatic Cine Film Camera		15	Cement, Film, Non-Flam	20
			Chairs, Tip-Up 36-37-38-3	
			Cine Film Cameras, Tripods, etc	15
			Cine Film, Negative and Positive	15
			Cine Lenses—Taylor, Taylor-Hobson,	16
		*	Cine Lenses—Dallmeyer	16
			Cine Motors for Driving Projectors	13
			Cinema Black	15
В			Cinema Brushes	15
		11	Cinema Screens	15
Barrier Ropes and Fittings		11	Cinema Screen Coating "Best White"	12
Battens and Footlights		44	Cinema Screen—Seamless	15
Batteries—Refills		38	Cinema Spares are Palmer's Cares	36
		12	Cinema Motor Regulators	13
		12	Cleaner for Films	16
		15	Clear-Lite Interchangeable Signs	41
DIL D I D I		12	Clients Wishing to Re-cover their own Seats	38
Bill Poster's Brushes		12	Clock Slides	16
Binding Strips for Slides		12	Colour Mediums	16

OUR CINEMA EXPERIENCE COMMENCED IN THE YEAR 1902.

		Page	F	Page
Coloured Lamp Lacquer		~-	Film Cine Camera—	
Coloured Gelatine, Special Non-Burnable		10	Automatia Tonical Film Comora	18
Colour Wheels for Lime-Light Boxes			Film Cement camera	20
Combined Clock and Next Item Slides		- 17	Film Claanar Palmar'a	00
~ .		10	Film Mandars Film Mandars	
Condenser Glasses Condensers, "Promet"		00	Film Specing White	
Condensers for Lime and Spot Boxes		12, 27	Film Spacing, White	
Condenser Glasses for Cine Projectors, Lante	orna	14, 41	Film Spools Film Spools for any make of Projector	
and Lime Boxes		12	Film Spools for any make of Projector	
Condenser Glasses for Mirror Arc Lamps			Film Storage Boxes	20
Conquest Fire Extinguishers			Film Storage Cabinets, Separate or on Stand	s 20
Conquest Fire Extinguishers		20	Fire Proof Asbestos Blankets	
Corduroy for re-covering Tip-up Seats		38	Fire Brackets	
Copper Pneumatic Sprayers			Fire Buckets	12
Curtains, Asbestos Curtain Light Cut Off			Fire Extinguishers—	
Curtain Light Cut Off		16	Conquest	20
Counterweights that Tip-up Seats		39	Minimax, Model A	20
			Minimax, Model B	20
			Pyrene	00
			Fire-Proof Asbestos Blankets	
			Fire-Proof Shutters for Operating Box	
			Fittings for Gangway Ropes	11
			Flicker Discs	00
D			Flicker Discs Flood Boxes	
Dallmeyer Cine Lenses		16		. 27, 44
Detractors for Reducing Heat		17	Fully Covered Pools for Times Costs	
Detractors of Heat for Mirror Arc Lamps			Fully Covered Backs for Tip-up Seats	. 39
DeVry Portable Cine Film Camera		17	Fuse Boxes, Ironclad	. 20
Diamond From Lite City Date		15		
Diamond Free Lite Sign Buttons		17		
Dimmers as used in Plaza and Drury Land	e	43		
Dimming Resistances		43	G	
Direct Current Motors		13	Congway and Staircage Light Fittings	01
Disinfectants and Vapourisers Vapour Sprayers Dissolvers and Cut Offs Double Pole Switches		17	Cangway Pones and Eittings	
Vapour Sprayers		17	Gangway Ropes and Fittings	
Dissolvers and Cut Offs		17	Gas Exit Boxes	
Double Pole Switches		17	Gaumont Projectors and Mechanisms	
Duplex Dissolving Twin Arc Resistances		34	Gaumont Machines Re-conditioned	
		0.	Gaumont Maltese Cross Mechanisms	
The second secon			Reconditioned	
			Gaumont Spool Boxes Gaumont Lamp Houses	. 22
		*	Gaumont Lamp Houses	. 22
			Gaumont Telescopic Iron Stands	00
			Gelatine Colours	99
E			Gelatine, Special Non-burnable Coloured	00
Easel Pattern Photo Frames		29	Genuine Powers No. 6 Machine Parts	
Easy Fit Photo Frame		29	George Palmer's Hustle	00
Effects—" Electric Spit"		17	C. P. Intensifying Lighting Units	11
Effects Improve Your Pictures		19	Grooved Pulley Wheels for Cine Motors	
Electric Bulbs		17	Guillotino "Film Fine" Programtor	01
Electric Dimmers		43	dunothe Film Fire Freventer	21
Electric Light Shades, Adjustable for Mu		10		
Stands		28		
Electric Motors for Driving Cine Projectors				
Floatric Sign Royag for Cag or Floatric		13	U	
Electric Sign Boxes, for Gas or Electric		19	H	
Electric Torches, Extra Strong		38	Hans Goerz Mirror Arc Lamps	10
		38	Heat Detractors	22
E.M.I. Cine Projector Motors, for D.C. and A	C.	13	Heat Detractors for Mirror Arcs	22
Enamelled Steel Spools, Solid and Split		35	Heavy Iron Stands	00
"Ernemann" Genuine Makers' Spare Parts	3	18-19	Heavy Iron Stands for Kalee, Power, Ernemann	
"Ernemann" Mirror Arc Lamps		10	and Gaumont Projectors	00
Essence for Sprayers and Vapourisers		17	Heavy Pattern Ara Lampa	0
Etna Carbons		19	Hiro and Hiro Maintenance	00
Ever-Ready Torch Refills		38	Home Office Switches	17
Exit and Emergency Exit Boxes		19	Home Office Type Fuges	
Extinguishers (Fire)		20	Hook Ends for Rannian Dance	20
(-20)		20	Hook Ends for Barrier Ropes	11

COUNTERWEIGHTS AND SPRINGS FOR TIP-UP CHAIRS.

1		Page	e P	age
Ink for Slide Writing				0
Intermittent Sprockets		26-3]		16
Ironclad Fuses, Memrex		20		27
Ironclad Home Office Type Switches, Memco		17		27
Iron Shutters for Operating Rooms		1]		27
Iron Music Stands		28		
Iron Stands for Limelight Boxes		22		27
Ivorine Letters		22	2 Letters and Numerals for Cinema Chairs	27
Ivorine Numerals		22		27
			Light Shades for Music Stands	28
			Limelight Boxes	27
			Limelight Box Stands	27
J			Limelight Condenser Glasses	27
Jet Black Coating for Screen Borders		22	Time alies to Calatina Winters	27
Lainen for Dilan		22	TOO D D. I TI'LL	11
Joiners for films		22	Lobby Display Frames	29
K				
			M	
Kalee Arc Lamp Type "C.L." 50 amps.		25		22
Kalee Asbestos Curtain, Single		25	Machine Repairs 28	, 32
Kalee Asbestos Curtain, Double		25	Machine Stands	22
Kalee Condenser Cells	,	25	Maximum Taylor-Hobson Cine Lenses	16
"Kalee" Genuine Indomitable Spare Pa			Memco Louble Pole Switches	17
No. 6 and 7 Models	25-2	26-27	Meniscus Condenser Glasses	28
Kalee Heavy Iron Stands		25	Metal Ash Trays	11
Kalee Heat and Light Shields		25	Metal Checks for Ticket Issuing Machines	28
Kalee High Power Mirror Arc Lamps		10	Metal Check Receiving Royes	28
"Kalee" Indomitable Model No. 7 & 8 Out		23	Metal Clins for Reserved or Engaged Seat	
Kalee Lamphouse Base, Fixed		. 24		32
Kalee Lamphouse Base, Slide Over		24	Metal Heat Detractors	28
Kalee Machines reconditioned		27	Metal Slide Carriers	28
Kalee Machines with Keriscope		23	Minimax Fire Extinguishers	20
Kalee Mechanism and Motor Base		25	Mirror Arc Carbons—All Makes 13	
Kalee Mirror Arc Lamps		10	Mirror Are Lamns—	
Nalee No. 7 Machine		23	Hang Coorg_Mirror Are Lamns	10
Kalee New No. 8 Machine		23	Standard Pattern—Mirror Arc Lamps	10
Kalee No. 7 Mechanism		24	Kales Mirror Are Lamps	10
Kalee No. 8 Mechanism		24	Kalee High Power—Mirror Arc Lamps	10
Kalee Optical Arm, Jacket and Title Lens		25	Ernemann—Mirror Arc Lamps	10
Kalee Stereopticon Lantern (with lens up to	18"	-	Mirror Arc Resistances 33	-34
focus) Kalee Speedometer for Projectors		25	Motor Cine Brushes	12
Kalee Speedometer for Projectors		25	Motors for Driving Cine Projectors	13
Kalee Spool Arms and Boxes		25	Motor Speed Regulators	13
Kalee Steel Curtain Light Cut Off		25	Music Stands	28
Kalee Two Way Steel Slide Carrier		25	Music Stand Electric Light Shades	28
Kalee Slide Lantern with 6", 8" or 10" lens		25		
Kalee Slide Lantern with 12", 14", 16" or		0-		
lens		25		
Kantark Home Office Type Fuses	1	20		
Kinarko Carbons	·	14		
King Slides King Slides—Copper, Mica and Glass		27		28
King Shdes—Copper, Mica and Glass	••••	27	W. Carlotte and the control of the c	
L			0	
Lamphouse Glasses for Lantern Bodies		25		27
T Tri or T		27		27
Tantama Tanaa		$16, \frac{27}{27}$		11
Lanterns Ontical		27		9
Lanterns, Optical Lantern Plates		27		11
T (TII . T II		27		27 28
Lacquer for Electric Bulbs		21	Orchestral Electric Light Shades	40

SPARE STANDARDS FOR TIP-UP SEATS AND RUNNING SEATING.

P	Pa	age		Page
Pails, Fire and Sand			Russian Iron Exit Boxes	
Palmer's Film Cleaner		28	Russian Iron Limelight Boxes	. 27
Palmer's Spares for Tip-up Chairs	38-		8.0	-
Panic Ropes, L.C.C. Pattern				
Paper Tickets, All Prices		32		
Parts for Replacements for Various Projec	tors—			
Powers, Genuine Maker's Parts	30-	-31		
Ernemann, Genuine Maker's Parts	18-	-19		
Kalee, Genuine Maker's Parts	25-26-		S	
Patent Duplex Resistances		34		
Perfume for Sprayers and Vapourisers	*	17	Safety Iron Shutters for Operating Box	. 11
Photo Frame, Easel Type		29	Seating—Arm Pags, Polished Wood	. 39
Photo Frame, Wall Type		29	,, Clients Wishing to Recover their Own	
Photo Frame, Easel Type Photo Frame, Wall Type Piano Light Shades, Adjustable		28	Tip-up Seats	. 38
Pincushioned Backs for Tip-up Seats		39	,, Corduroys Hard Wearing	. 38
Pink May Essence, Sprayolite		17	,, Counterweights that Tip-up Seats	. 39
Plano Condenser Glasses		12	,, Scroll Polished Wood Arm Pads	. 39
Plano Condenser Glasses, for Limelight	Boxes		,, Spare Backs	. 39
and Projectors		12	" Spare Standards for Tip-up Seats and	
Pneumatic Sprayers and Vapourisers		29	Running Seating " Springs for Tip-Up Seats	. 38–39
Vapour Sprayers Poster Display Frames		29	,, Springs for Tip-Up Seats	. 39
Poster Display Frames		29	,, Standard Polished Wood Arm Pads	
Polished Backs for Tip-up Seats		39	,, Tip-up Cinema Seats	37-38
Poster Slips		29	,, Velvets, Hard Wearing	
Power's Machines Reconditioned		32	Safety Automatic Shutters, Fireproof	11
Power's No. 6 Cameragraph Parts	30-		Sand and Fire Buckets	12
Programme Board Letters		30 -	Carand III 1 M . 1 .	15
Trojecting Lanterns		35	Series Resistances for Standard Arcs	35
Projection Lenses—Taylor-Hobson		16		33-34
,, ,, Dallmeyer Projector Motors		16	Coiggons Dattons A. T.	33-34
Projection Lenses for Lantern Slides		$\frac{13}{27}$	a D .	
Projectors, New and Secondhand	22, 24,			$\frac{35}{39}$
"Promet" Patent Light Condenser Glass	22, 24,	30		14
Pulley Wheels for Cine Motors		$\frac{30}{32}$	Shades for Orchestra Lights	
Pyrene Fire Extinguishers	20	39	Show Wood Backs for Tip-up Seats	
Pyrene Fire Extinguishers Pyrene Liquid Refills Pyrene Wall Brackets	20,	32	Siemens Carbons	13-14
Pyrene Wall Brackets		32	Sign Boxes for Exit Doors	
		-	Slides, Announcement and Portrait	27
			Slide Attachment for Mirror Arc Lamps	10
			Slide Carriers	20
			Slide Projecting Lenses	27
R			Slide Projecting Lanterns	35
Dalla Matt A		0	S.O.S. Message	36
Radio Matt Announcement Slides		35	Slider Dimmers	43
Rainbow Slides		32	Slide Writing Inks	
Rainbow Colour Wheels	л	32	Slide Binding Strips	
Reconditioned Cine Projectors. All M	lakes	99	Spot Boxes	
Supplied Recovering Tip-up Seats	25, 27,		Spotlights	
Refills for Torches		$\frac{38}{38}$	Spare Standards for Tip-up Seats	
Refills for Palmer's Film Cleaners		28	Special Printed Tickets	
Regulators for Cine Motors		13	Sprayer, Copper Pneumatic	16
Repairing Cine Machines	****	32	Sprayolite Essence for Vapourisers and Sprayo Springs for Tip-up Seats	
Replacement Type Fuses		20	Staircage and Congress Tight Eitting	
Replacement Parts for Powers, Kalee, Erne	mann	-0	Standard Minnon And Lamna	
Machines, etc 18, 19, 2	25, 26, 30	31	Storage Cases for Films	00
Resistances, Patent Duplex		34	Standard Delighed Ward A D 1	00
Resistances, Regulating Arc		33	Strong Enamelled Steel Split Spools	
Reserved or Engaged Seat Cards		32	Strong Steel Spools, Solid and Split, for any	99
Re-winders, Film and Spool, Table Patte	rn	9	Machine	0-
Roll Tickets—All Prices		32	Strong Electric Light Torches	00
Ropes and Fittings for Barriers		11	Switches—	
Round Carbon Brushes for Cine Motors		32	Memco Double Pole Ironclad	

CINEMA AND THEATRE SEATING.

Т	Page	U	Page
Table Pattern Spool and Film Re-winders	. 9	Unifit Taylor-Hobson Lenses	16
Take-up Spools	0-		
Tandem Resistances for Mirror Arcs, etc	. 34		
Taylor-Hobson Cine Lenses	10		
Telescopic Iron Stands for Kalee, Power	,		
Ernemann and Gaumont Projectors	22		
Telescopic Iron Music Stands	28	V	
Terminal Blocks, Capstan		Vapour Sprayers	17
Tickets, Metal	28	Vapourisers and Sprayers	17
Tickets, Roll		Velvet for Re-covering Tip-up Seats	38
Tip-up Ash Trays	. 11	Vulcanite Caps for Cine Motors	9
Tip-up Seats—		, alcounte corps for care allowers	
Spare Standards for Tip-up Seats and			
Running Seating			
Springs for Tip-up Seats			
Counterweights that Tip-up Seats			
Standard Polished Wood Arm Pads		W	
Scroll Polished Wood Arm Pads		Wall Pattern Photo Frames	29
Spare Backs for Tip-Up Seats		White Condenser Glasses	12
Clients wishing to Re-cover their Own		White Linen Cinema Screens	18
Tip-up Seats		Wool Barrier Rope	1]
Corduroy, Hard-wearing		Writing Ink for Slides	38
Velvets, Hard-wearing			
"To-day" Poster Slips		All the second s	
Topical Cine Film Cameras			
Torch Bulbs		7 2 7 3 3 1 4 5 3 1 4 5 3 1 4 5 3 1 4 5 3 1 4 5 3 1 4 5 3 1 4 5 3 1 4 5 3 1 4 5 3 1 4 5 3 1 4 5 3 1 4 5 3 1 4 5	
Torches and Refills			
Two Cine Arc Resistances	34	V	
Tube Lantern Lenses		Vann Ashertes	(
Twin Arc Resistances	34	Yarn, Asbestos	

A Few of our Specialities

Genuine Maker's Parts for KALEE, POWER, GAUMONT, SIMPLEX, ERNEMANN and PATHE MACHINES


We guarantee every part is actually made in each named maker's factory

No Catalogue can ever be up-to-date. Should you require any item not detailed, please write us.

ACCESSORIES FOR CINE MOTORS. Motor Carbon Brushes. Round or Square, 1/4 in. diameter		each		d. 6
Vulcanite Caps for brush holders		each		9
ADAPTORS FOR CINE CARBONS. Using up short ends, per pair			5	0
ADJUSTABLE ARC LAMP TRAYS. Usual Price, 25/ Our Price, only			9	6
ADJUSTABLE MUSIC STANDS. Very strong			1 10	0
ADMISSION TICKETS, PAPER. All Prices. Rolls of 1,000 Tickets. Each	Roll		1	0
Per Dozen Rolls (See Page 32 for Special Prices for Quantities)			10	0
ADMISSION TICKETS, METAL, for practically any make machine, per 100			15	0
ALL METAL SPOOL AND FILM REWINDERS.				
No. 1 Model			2 10	0
No. 2 Model—Lighter Model			1 16	0

Heavy Six Movement Arc Lamp.
For 40 to 150 Amps. £4 15s. 0d.





Scissors Arc Lamp.

For Stage Boxes, Spot Lights, Lanterns, etc., Scissors Arc Lamps have been proved to be of most convenient form. Both carbon holders will take carbons up to 14 mm. dia., and can be tilted, making the lamp suitable either for Direct or Alternating Currents.

	and the court of t	, cree restrict	conore ererre.	TOT DIFFER	OL THICCITIC	cris current	00.				
	No. 1 Model									5	
	No. 2 Model								1	10	U
ARC	LAMP, Lantern	Pattern, for	30 amps.	Fitted wit	h 4 moveme	ents.			3 1	15	0
ARC	LAMP LEADS,	Flexible. 10	0 Amp. As	sbestos cove	ered. 12" a	and 15" len	gths, per pa	air		4	6
ASB	ESTOS STRING,	for Cables,	etc.]	per lb.		5	0
ASB	ESTOS CURTAIN	IS, for Lam	P Houses.	Large size	e,			each		5	0
ASB	ESTOS FIREPRO	OF BLANKE	TS for Op	erating &	Rewinding	g Rooms (w	ith Metal Co	ntainer)	2	5	0
ASBI	ESTOS FIREPRO				size, comp	letely mad	e of Asbes	stos.			
	WITHOUT Meta	al Container.	Size 72"	$\times 54''$.				each	1	18	0

New Fire Blanket.

Remarkable Experiments at Central Fire Station, Manchester.


At the Central Fire Station, Manchester, recently, members of the Trade and Press were present when a new Asbestos Blanket was tried. It is an invention for the prevention of fire in Projection Boxes and elsewhere in Kinema Theatres.

Over a thousand feet of film, which was ignited, was rapidly subdued, and it is understood that the authorities announced themselves as fully satisfied with the test.

This Special Asbestos Fire Proof Blanket, 6ft. × 6ft., including a circular container each 2 5 0

Mirror Arc Lamps.

Standard, Hans Goerz, Kalee and Ernemann.



STANDARD MIRROR ARC LAMP.	£	S.	d.
Fitted with Seven Movements. Very Strong and reliable		15	75
Slide Attachment for Mirror Arc, showing slides	1	15	0
KALEE, R. L. Model, complete with $5\frac{1}{2}$ Mirror	11	10	0
ERNEMANN , complete with 8" Mirror £18 10s., £20, £25, £26 10s. and	28	10	0
KALEE HIGH POWER MIRROR ARC, complete with Special M.L. Lamp House, 8" Condenser			
and 8" Mirror	28	0	0
The Same £28 Unit, fitted with "KERASCOPE" with Slide Carrier for showing Slides	38	0	0
HANS GOERZ, with 8" Mirror and 8" Condenser with Special Lamp House	33	0	0
Same Hans Goerz 8" Unit with New Lantern Slide Attachment	41	0	0
Larger model Hans Goerz Unit with 97 Mirror and 97 Condenser with Special Lamphouse	45	0	0

Mirrors for Mirror Arcs.




5½"STANDARD TYPE				 each	10	6
6" STANDARD TYPE				 2,	12	6
5½" KALEE for R.L. MODEL				 ,,	1 1	0
8" KALEE HIGH POWER M.L.	MODEL			 ,,	2 5	0
8" GOERZ for HANS GOERZ	WIRROR	LAMP		 ,,	4 7	6
97 GOERZ for HANS GOERZ	MIRROR	RLAMP		 ,,	5 12	6
8" ERNEMANN for ERNEMAN	N ARC,	METAL	MIRROR	 ,,	3 10	0
8" ERNEMANN for FRNEMAN	N ARC	GLASS			4 10	0


Mirror Arc Condensers.

8" SPECIAL CONDENSER for KALEE M.L. MIRROR ARC	 . each	1 15 0
8" SPECIAL CONDENSER for HANS GOERZ MIRROR ARC	 . ,,	4 7 6
$9_8^{7''}$ SPECIAL CONDENSER for HANS GOERZ MIRROR ARC	 . ,,	5 10 6

ASH TRAYS, for Tip-up Chairs, Etc.




Automatic Fireproof Safety Shutters.



AUTOMATIC FIREPROOF SAFETY SHUTTERS for Operating Room.	£	s.	d	l
Set for 1 Projector, 2 Openings	. 4	1 15	(0
Set for 2 Projectors, 4 Openings	. 8	3 () (0
Set for 2 Projectors and Effects Lantern or Lime Box, Totalling 6 Openings	. 11	5	(0
Barrier Ropes and Fittings. 3ft. 6in. Complete each 19/6 4ft. 6in. ,, each 22/6 Separate L.C.C. Breakawa fittings each separate L.C.C. Breakawa fittings each Spare Brass Hook Ends Extra Brass Eye or Hool Plates, each	y eh each	3	d	6
Extra 1" Best Quality Roper foot	pe,			

					£		d.
BELTING, Leather. Very good quality				Pe		S.	4
BEST QUALITY CONDENSER GLASSES.							
	6" Plano,	6" focus fo	r Lime Bo	xes	each	18	0
	6" diamete	er, 9" focus	,,	,,	,,	12	6
		6" Focus "	Moulded'	Glass fo			
SECTION	Box				each		6
		ter, 9" focu	s for Lime	Boxes	,,	10	
	$4\frac{1}{2}$ " Meniso				,,	3	
	$4\frac{1}{2}$ Bi Co.				,,	3	
	$4\frac{1}{2}''$ Plano $4\frac{1}{4}''$ Meniso				,,	2	
	$4\frac{1}{4}$ Bi Con				,,	2	
	$4\frac{1}{4}$ Bl co. $4\frac{1}{4}$ Plano				,,	2	6
4 44" 4½"	4" Menisci				"	2	
	4" Bi Con				,,	2	6
	4" Plano				,,	2	6
BEST WHITE WHITE SHEET COATING.	Easy to app	oly. Sufficie	ent for 18f	t. Screen		1 10	0
BILL POSTER'S BRUSHES, with Long or Sho						7	6
DINDING OTDING (GILL D D					••••	1	6
			• • • • • • • • • • • • • • • • • • • •		D. II		
BLACK JET COATING for Screen Borders.					Per lb		
BLACK AND WHITE OPAQUE LANTERN S			wo Qualit	ies	1/6 and	2	0
BLANKETS. Fireproof for Operating and Rewine	ding Rooms.	All Wool				12	6
,, All Asbestos for Operating and Re	ewinding Ro	ooms		£1	18s. and 2	2 5	0
BLOCKS. Capstan Terminal for Main Cine Arc	Cables					9	0
BRACKETS for Fire and Sand Buckets						2	6
BRASS SLIDE CARRIERS, Very Strong					each	15	0
BRASS FITTINGS FOR BARRIER ROPES		s. d.			cuon		
Brass Hook Ends	each	3 6	6				b
Brass Eye or Hook Plates	each	1 6				-	1
Brass L.C.C. Centre Breakaway Fitting	each	2 6					
Round or Square, ¹ / ₄ diameter	each	6		Processing and the second seco			
BULBS, for Electric Torches Special Good Quality	each	5			The second secon		
BUCKETS.							
Lettered FIRE or SAND. Enamell Water Capacity 2 Gallons. Forged Ears.	led Red. Extended				7.		
Handle, rendering the throw much easier more certain.	and aim each	6 0					
Special Brackets for Buckets 2							
	1						
CARBON HOLDERS for Mirror Are Lamps					each	4	0




"CAPSTAN" TERMINAL BLOCKS

A very useful and handy fitting, as it dispenses with long leads from the control board to the Arc Lamp.

It fixes on to the back of the projector stand, and a pair of flexible copper leads are sweated into one pair of the thimbles, the other ends of the lead fix into the Arc Lamp terminals as usual.

The remaining pair of thimbles have the control board leads sweated into them.

each 9/-



Cine Motors for Driving Projectors.

Made by the World-Known E.M.I. for any V to 220 volts.	Voltage fr	om 60	£	S.	d.
½ h.p. for Direct Current		each	4	10	0
Price for Alternating Current, any	Voltage	"	6	15	0



Motor Speed Regulators.

For any Voltage for either Direct or £ s. d. Alternating Current each 1 8 0

This type of Regulator is most suitable for the above Motors, either D.C. or A.C., and gives a wide range of speed. It is fitted with quick break switch, which enables the operator to stop the motor instantly.

Carbons.

"SIEMEN" BIO MIRROR ARC CARBONS.

FOR DIRECT CURRENT.

** LESS 20 per cent. OFF THESE, THE MAKERS' LIST PRICES. ***

POSITIVE Cored.	Prices per	100 pi	iece	s.	POSITIVE Cored.	Prices p	er 1	.00	pied	ces.
		£ s	. (d.				£	s.	d.
$8 \text{ mm.} \times 8'' \text{ lengths}$	 	1	5	6	$8 \text{ mm.} \times 9'' \text{ lengths}$					5
9 mm. \times 8" lengths		7 1			9 mm. \times 9" lengths					10
$10 \text{ mm.} \times 8'' \text{ lengths}$	 	1	2	0	$10 \text{ mm.} \times 9'' \text{ lengths}$			1	4	9
11 mm. $\times 8''$ lengths	 	1	5	6	11 mm. \times 9" lengths			1	8	9
$12 \text{ mm.} \times 8'' \text{ lengths}$	 	1	9	9	$12 \text{ mm.} \times 9'' \text{ lengths}$			1	13	6
13 mm. $\times 8''$ lengths	 	11	4	3	13 mm. \times 9" lengths			1	18	6
$14 \text{ mm.} \times 8'' \text{ lengths}$	 	11	9	0	14 mm. \times 9" lengths			2	3	10

"SIEMEN" BIO MIRROR ARC CARBONS.

NEGATIVE Solid.	Prices per	100 pie	eces.	NEGATIVE Solid.	Prices per	100	pied	ces.
		£ s.	d.			£	s.	d.
	 	9	6	$5 \text{ mm.} \times 9'' \text{ lengths}$	 		10	9
$6 \text{ mm.} \times 8'' \text{ lengths}$	 	10	9	$6 \text{ mm.} \times 9'' \text{ lengths}$	 		12	1
7 mm. \times 8" lengths	 	12	0	$7 \text{ mm.} \times 9'' \text{ lengths}$	 1		13	6
$8 \text{ mm.} \times 8'' \text{ lengths}$	 	14	9	$8 \text{ mm.} \times 9'' \text{ lengths}$	 		16	7
9 mm. \times 8" lengths	 	18	0	$9 \text{ mm.} \times 9'' \text{ lengths}$	 	1	0	3
10 mm. $\times 8''$ lengths	 	1 1	6	$10 \text{ mm.} \times 9'' \text{ lengths}$	 	1	4	3
11 mm. $\times 8''$ lengths	 	1 - 5	3	11 mm. \times 9" lengths	 	1	8	4

"SIEMEN" "S.A." MIRROR ARC CARBONS.

FOR DIRECT	CURRENT.	SUPERFINE QUALITY.	
POSITIVE Cored.	Prices per 100 pieces.	POSITIVE Cored. Prices per 100 pieces	
$8 \text{ mm.} \times 8'' \text{ lengths} \dots$ $9 \text{ mm.} \times 8'' \text{ lengths} \dots$ $10 \text{ mm.} \times 8'' \text{ lengths} \dots$ $11 \text{ mm.} \times 8'' \text{ lengths} \dots$	1 0 0 1 4 0 1 9 0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	5 6 6 8
$12 \text{ mm.} \times 8'' \text{ lengths} \dots$ $13 \text{ mm.} \times 8'' \text{ lengths} \dots$ $14 \text{ mm.} \times 8'' \text{ lengths} \dots$	1 13 0 1 17 6 2 3 0	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	3

"SIEMEN" "S.A." MIRROR ARC CARBONS.

NEGATIVE Copper Cored.

NEGATIVE.

		Prices per 100	piec	es.		Prices per	100 pieces.	
		£	S.	d.			£ s. d.	
$5 \text{ mm.} \times 8'' \text{ lengths}$			10	3	$5 \text{ mm.} \times 9'' \text{ lengths}$	 	11 6	
$6 \text{ mm.} \times 8'' \text{ lengths}$			11	6	$6 \text{ mm.} \times 9'' \text{ lengths}$	 	13 0	
7 mm. \times 8" lengths	;		13	0	7 mm. \times 9" lengths	 	14 8	
$8 \text{ mm.} \times 8'' \text{ lengths}$			15	6	$8 \text{ mm.} \times 9'' \text{ lengths}$	 	17 5	
9 mm. \times 8" lengths		1	0	0	9 mm. \times 9" lengths	 	1 2 6	
$10 \text{ mm.} \times 8'' \text{ lengths}$			4	0	$10 \text{ mm.} \times 9'' \text{ lengths}$	 	1 7 0	
11 mm. $\times 8''$ lengths		1	9	0	11 mm. \times 9" lengths	 	1 12 8	

COMBINATIONS RECOMMENDED for "BIO" and "S.A." "SIEMEN" MIRROR ARC CARBONS for Direct Current.

Amperage	5 to 7 5 mm. Negative and 8 mm. Positive.	
	7 to 0 6 mm Nonetine and 0 mm Deiti	
"		
eliw ;	Troguetto tital 10 mm. 1 obiti	
",	12 to 15 8 mm. or 9 mm. Negative and 12 mm. Positive	
,,	15 to 20 mm. or 10 mm. Negative and 13 mm. Posit	ive.

Etna Carbons.

16 mm. \times 6" Solid. Made in same factory as world-known "REFLEX" CARBONS. Per 100 pieces. Used with any Make of 20 or 22mm. Carbons. FREE SAMPLES ON APPLICATION.

This Very Keen Price cannot be Equalled.

"CARBONS THAT BURN BRIGHTEST."

WE SUPPLY EVERY MAKE, BRAND AND QUALITY. PLEASE SEND FOR FREE SAMPLES.

"Kinarko" Carbons.

*** SHOWS YOU A SAVING of 15 Per cent.—AT THESE CUT PRICES. ***

For Kinematograph Work.



For Kinematograph Work.

Kinarko Carbons have been specially developed for Kinematograph work, and are unequalled for light and steadiness. The "S.D.N." Kinarko Carbon is the smallest diameter Negative Carbon ever put on the market. The diameters advised carry the current without stripping, tapering or overheating. The small diameter of the Negative Carbon ensures entire absence of screen shadow, and therefore encourages economy in current consumption.


FOR CONTINUOUS CURRENT.

			Palme	r's	(omp	etit	ors'	Sav	ing	in
		-	Keen F	rice		Pr	rice.		C	ash	
	Per 100 pieces.		£ s.	d.		£	S.	d.	£	S.	d.
$22 \text{ mm.} \times 12'' \text{ Positive} \dots$	 		3 15	6		4	8	0		12	6
$20 \text{ mm.} \times 12''$,,	 		3 1	6		3	12	0		10	6
18 mm. ×12" ,,	 		2 7	9		2	16	0		8	3
$16 \text{ mm.} \times 12''$,	 		1 15	0		2	1	0		6	0
$14 \text{ mm.} \times 6'' \text{ S.D.N.}$	 		1 7	5		1	12	0		4	7
$12 \text{ mm.} \times 6''$,	 		1 2	6		1	6	6		4	0
$11 \text{ mm.} \times 6''$,	 *		1 0	0		1	3	6		3	6
$10 \text{ mm.} \times 6''$,,	 		15	10			18	8			10
$8 \text{ mm.} \times 6''$,	 		14	2			16	8			6

Phone Numbers: Regent 1475 and 5475.

Wires: Geremlapsi, London.

Cinema Screens.



Best White Cotton		£	s.	d.
$10' \times 10'$	 	 1	9	9
$16' \times 16'$	 	 3	5	0
$20' \times 20'$	 	 5	0	0

SEAMLESS SCREENS. Very Strong.

17 feet high without a seam at per running yard 30/-Any length supplied.

This extra large material without a seam, enables you to improve your Picture at a very small cost. We strongly recommend you using our Best White White Screen Dressing, supplied with instructions, sufficient for 18ft. screen, £1 10 0.


CINEMA BLACK, per bottle 1 0

ematograp! Announcement STIR WELL PROPER USING

CINEMA

The "DeVry" Automatic Cine Film Camera.





Make your own TOPICALS

Standard size Cine Camera, and obtain results equal to those attained by the professional cameramen in Hollywood and London. Used by all the Leading American and English Film Producing Companies.

SALIENT FEATURES :-

Takes 100 feet of standard size 35mm. professional film.
Employing negative stock from which positive prints are made a permanent record is always obtained.

Vibrationless. Smooth running, due to double action, counter-balanced spring. Exposes 55ft. of film without Rewinding.

Releases film at constant rate of speed.

Daylight loading.

Requires no tripod.

Incorporates Three View Finders.

Weighs 9 lbs., ensuring steady and tremorless pictures. Can be hand-cranked, 8 frames per turn.

Enclosed in a drawn-steel case to withstand rough usage Immediate change-over of lenses, by means of bayonet fitting.

Removal of film-gate for cleaning. Focussing direct on film, etc., etc.

Write for a copy of "Just Why the DeVry Takes Better Movies," or call and inspect this perfect instrument at our showrooms.

* * * Special Quotations given for: * * *

CINEMATOGRAPH CAMERAS, TRIPODS, TAKING LENSES, or for any other apparatus used in connection with the making of films.

 FILM STOCK.
 Standard Negative Film
 23/4 d. foot

 Standard Positive Film
 1½d. foot

Developing and Printing customer's own local or topical films at the following rates:—

Developing Negatives $\frac{3}{4}$ d. per foot. Printing, Developing and supplying finished Positive Print 2d. per foot

Title Cards, printed 1/- each. Title Cards, hand-written 2/- each.

TAYLOR-HOBSON PROJECTION LENSES.

Outside Diameter 2.07".

Original Series, "MAXIMUM."

 $3\frac{1}{2}$ in. to 7in.

In $\frac{1}{4}$ in. sizes.

£13 0. 0. each.

New Series, "UNIFIT."

3in. to 6in.

In $\frac{1}{4}$ in. sizes.

£11 0. 0. each.

Intermediate Sizes made specially to Order

£1 0. 0. Extra.

CINEMA PROJECTION LEN

DALLMEYER PROJECTION LENSES.



SERIES XII

Standard Size. Small Diameter. Outside Diameter, 1.68". $2\frac{1}{2}$ " focal length to 5" in $\frac{1}{4}$ " graduations and $5\frac{1}{2}$ ", 6", $6\frac{1}{2}$ ", and 7". Price £5 0. Od. each.

Metal Caps to fit front and back cells, 6/- per pair. Any foci not listed above made specially to order, 15/- extra.

THREE TIMES MORE LIGHT

SERIES XIV.

Standard Size. Large Diameter. ations, and $5\frac{1}{2}''$, 6'', $6\frac{1}{2}''$, and 7''. Outside Diameter, 2.07" or 52 mm. 3" focal length to 5" in \(\frac{1}{4}\)" gradu-

£10 0. 0. each.

Any foci not listed above made specially to order, £1 extra.

LENSES FOR REAR PROJECTION.

DALLMEYER SERIES XX "PENTAC."

Outside Diameter 1.68".

 $1\frac{1}{2}$ ", $1\frac{3}{4}$ ", 2" Focus £8 10. 0. each. Price for $2\frac{1}{4}$ " Focus £9 0. 0. each.

SUPPLEMENTARY LENSES.


FIREPROOF GLASS £2 2. 0. each, plus small extra charge for fittings for gate of projector.

ANY FOCUS LENS SENT ON APPROVAL FOR SEVEN DAYS' FREE TRIAL.

	£ s.	d	
CLEANER FOR FILMS.	I S.	u	
Very efficient. To fit on any rewinder Board or Bench each	7	6	
CLOCK SLIDES. Perforated Metal, with adjustable hands each each	5	0	
COMBINED CLOCK AND NEXT PICTURE SLIDE each	12	0	
COLOUR MEDIUMS.			
Gelatine, any Colour, per sheet, $20\frac{1}{2}" \times 24\frac{1}{2}"$ each Smaller pieces, cut as required.	1	3	
COLOURED GELATINE, SPECIAL NON-BURNABLE. Sheets—20"×20" each	3	6	
20'' imes 12'' ,,	2	0	
13'' imes 12''	1	6	
Cut Pieces, $6\frac{12}{2}$ \times 6 $''$, each 9 d.; or Set of five pieces	3		
COLOUR WHEELS for Lime Light Boxes	17	6	
CURTAINS, ASBESTOS, for Lamp Houses each	5	0	
CURTAIN LIGHT CUT OFF. For Front of Lantern Body. Opens or closes with a quick action	16	6	
COPPER PNEUMATIC SPRAYERS.			
4 pint size each	1 15	0	
6 pint size ,,	2 5	0	

	DETRACTORS OF HEAT	FOR	MIRROR	ARC LA	AMPS		1013	each	£ s.	d. 0
	DIRECT CURRENT MOT	rors.	E.M.I. $\frac{1}{8}$ h.	p. For a	ny Voltage			,,	4 10	0
	ALTERNATING CU	RREN	T MOTORS 1	E.M.I. $\frac{1}{8}$ h	.p. For any	Voltage		,,	6 15	0
	SPRAYOLITE ESS		RISERS. Pink May,	etc.						
	2 ozs.								3	6
	4 ozs.								6	0
	8 ozs.								10	6
-	(1 pint) 20	ozs.							1 1	0
	"OMNI" FLOR. This Bouquet is	AL VA		FLUIDS	FOR ELEC	CTRIC VA	APORISER.			
	One Pint								10	0
	One Quart								17	6
	Half-Gallon								1 10	0
	One Gallon								2 15	0
	PEROLIN ESSENC	E.								
	2 ozs.								3	9
	4 ozs.						***		7	0
	8 ozs.					.,,.	75.		13	0
							•••			





VAPOUR SPRAYERS.

No. 1 Size, 15" long	 	 11	6
No. 2 Size, $20\frac{1}{2}''$ long	 	 14	6
No. 3 Size, $25\frac{1}{2}''$ long	 	 18	0

DIAMOND FREE LITE BUTTONS MAKE UP WONDERFUL Supplied in Two Sizes

	oldivo,	Dubbiner	I III I WO	DIZES.			
$\frac{1}{2}$ " Size	4 /- per doz.		1"	Size 10/	- per de	oz.	
					£	S.	d.
DISSOLVE	RS and CUT	OFFS.	Brass		each	16	6
DOUBLE P	OLE SWITCH	HES. Iron	nclad. Me	emco. 30 a	mps. 2	3	0
	60 amps.					18	
Memco	100 amns				1	0	0

EL

ECTRIC BUL	BS.				
for Attendant	's Torches	Extra good quality	each	5	

"Electric Spit"

The Advertiser's Keystone for New Effects. Perfectly Silent, can be used at any angle, in Hundreds of Different Ways, including Revolving Small Stage Sets, Artists' Figures, Mirror Balls, etc., etc.



"ELECTRIC SPIT" comprises Strongly Made Universal Motor for all Voltages, 100 to 250, for both Direct and Alternating Current, 40 to 60 Periods, with Adjustable Governor Control, with very Strong Spiral Cut Gearing connected Direct with Motor Spindle. (No risk of slipping as with a Spring or a Leather Band). Firmly mounted Also includes an All Voltage Regulator. on Cast Iron Base.


This is Not a Toy, but a Good Strong and Compact, Mechanical and Electrical Unit.

Complete £6 10 0

"ERNEMANN" Genuine Maker's Spare Parts.

EVERY ONE GUARANTEED.

Please advise name of model with mechanism number when ordering.



Orc	ler No.			£ s.	d	Order No.	s.	d
1	Top sprocket feed spindle			10	0 0	9 Flywheel shaft with pin disc, pin and roller		
2	Bevel Gear for top sprocket spin	ndle		19	9 0		2 17	0
3	Top, large film sprocket			2 (0 0	10 Bevel gears for flicker shutter drive	12	0
	Maltese cross spindle			1 :	2 6	11 Striking pin, with roller	8	2
5	Maltese cross		· · · · · · · · · · · · · · · · · · ·	2 !	5 0		1 8	0
	Intermittent sprocket			2 !	5 0	13 Crank	19	0
7	Washer for feed sprocket			1	1 10	13a Crank handle	2	9
	Screw for feed sprocket				1 0	14 Main gear with bevel gear and bronze rim	3 15	0
						(Continued on next page).		

Phone Numbers: Regent 1475 and 5475.

Wires: Geremlapsi, London.

ERNEMANN'S SPARE PARTS—continued.

ERNEWANN'S SPARE PARIS—contin	nuea.				
Order No.	£ s.	d (Order No.	£ s.	
14a Bronze gear detached	15	0 3	Driving ring for bottom spool arm Bevel gear with friction clutch (male)	6	
14b Bevel gear with screws, extra 15 Driving shaft 16 Large bottom film sprocket 17 Rotary flicker shutter spindle	15	0 3	Bevel gear with friction clutch (male)	1 11	
15 Driving shaft	13	0 3	36 Female section for take-up friction clutch	6	
16 Large bottom film sprocket	2 1	6	R7 Friction washer		6
17 Rotary flicker shutter spindle	11	0 3	38 Tension for take-up		6
18 Flicker shutter bracket complete with screw	1 2	6	39 Adjustable nut for tension spring		4 6
19 Bevel gear cover	3	4	Distance collars for bottom spool take-up, 9 mill.		2 0
19 Bevel gear cover 20 Spring for top pressure bracket		9	40a Fixing collar for bottom of gate, 6 mill	9	2 0
21 Complete top pressure bracket	1 2	0 4	40b Distance collar for flicker shutter spindle, 8 mill.	2	2 0
21a Carrying and operating pin for grooved pressure		4	40c Collars for top and bottom sprocket spindles, 11		
roller	. 1		mill		2 0
roller 21b Hinge pin for pressure roller bracket	3	2	41 Transmission shaft with screw for bottom spool		
21c Straight roller for No. 21 and 25	4		drive		5 0
21c Straight roller for No. 21 and 25 21d Grooved roller for No. 21 and 25	6	2	42 Short coupling sleeve for bottom spool drive		4 0
22 Grooved pressure roller for gate (upper) inter-		4	43 Long slotted coupling sleeve for bottom spool		
mittent	. 5	0	drive 44 Upper short shaft for bottom spool drive		4 0
23 Grooved pressure roller for gate (lower) inter-		4	14 Upper short shaft for bottom spool drive		3 6
		0	45 Lower long shaft for bottom spool drive		3 6
mittent 24 Guide roller for top of gate	4	6	46 Bearing bracket for upper short shaft		6 0
25 Complete bottom pressure roller bracket	1 3	0	47 Bolt for bottom spool arm complete with guide		
25a Carrying and operating pin for grooved pressure	9		roller and nut	10	
roller, No. 25	. 1	4	47a Guide roller for No. 47		3 6
25b Hinge pin for No. 25	. 2	6	48 Bolt for top spool arm with nut		3 9
roller, No. 25 25b Hinge pin for No. 25 26 Rack for masking device 26a Masking spring 27 Masking shaft complete with pin	. 10	0	48 Bolt for top spool arm with nut 49 Spindle for carrying top spool 50 Tension spring for top spool arm		6 0
26a Masking spring	. 1	4	50 Tension spring for top spool arm		2 3
27 Masking shaft complete with pin	. 1 8	0	51 Inside section of oil bath attached to main casting	gı	2 6
28 Bevel pinion gear for top sprocket drive (27 or 23	3		51a Inspection gauge on oil bath 51b Screw cap for oil bath		7 6
teeth)	. 10	0	51b Screw cap for oil bath		2 3
teeth) 29 Vertical driving shaft	. 5	6	52 Outer cover for oil bath	1	
30 Bevel pinion gear with sleeve and collar (27 or 23	3		52a Packing material for oil bath		1 6
teeth)	. 14	0	52 Outer cover for oil bath 52a Packing material for oil bath 53 Bridge bearing for flywheel	10	
teeth)	2 2	0	54 Flicker shifter boss complete with screws		
31a Sleeve for adjusting spring on friction clutch	5	8	55 Shutter, 2 or 3 wings		3 6
31b Spiral spring for automatic shutter	1	8	55 Shutter, 2 or 3 wings	1	4 0
31c and 31d—Male and Female Clutch for automatic	•		56 Knurled head adjusting screw for gate spring		2 0
shutter either each	1 10	0	57 Tension springs for gate		6
31e Bearing sleeve for safety shutter	1	10	57a Tension spring for bracket on intermittent		
31f Angle piece for lifting shutter	1	6	pressure roller		6
32 Metal shield for automatic shutter	. 1	6	58 Hinge pin with angle piece for gate front section		7 6
31f Angle piece for lifting shutter 32 Metal shield for automatic shutter 33 Take-up spindle for bottom spool arm	. 10	0			
		3			

ETNA CARBONS. 16 mm.×6" solid. Price per 100 pieces.

£ s. d.



EXIT AND EMERGENCY EXIT BOXES.

Suitable for Gas or Electric Lighting. Cut Metal Stencil with Opal Glass background 12/6 and 16/- each.

Boxes as above but with Special Lettering

such as

Ladies' Toilet; Ladies' Lavatory; Gents' Toilet; Gentlemen; Pay Here; Box Office, etc., etc.

17/6 each.

Effects. Improve Your Pictures.


Baby Cry	1/8	Cat Meeow	 2/-	Cock Crow 1/8
Dog Bark	3/6	Hen Cackle	 1/8	Nigger Bones 2/-
Railway Train	22/6	Rooster	 1/8	Sand Dance 3/6
Waves Effect	30/-	Typewriter	 8d.	Snore Imitation 1/6
Sleigh Bells	7/6	Siren	 2/9	Siren (with amplifying horn) 7/-

These are only a few of the many effects we have in stock. Please send for complete booklet.

FILM	CEMENT. Ordinary. Per bottle Non-Flam. Per bottle	 	£ s.	d. 0 0
FILM	CLEANER (PALMER'S) cleans both sides of film when re-winding. This compa fastens to table or re-winder board. No operating room should be without one.	ct accessory each	7	6
FILM	MENDERS. Very strong and well made	. each	12	6
FILM	SPACING. WHITE.	Per foot		1
FILM	SPOOLS. Very strongly made. For Powers, Simplex, Kalee or Gaumont $12''$ reels, with either $\frac{3}{8}''$ or $\frac{1}{2}''$ Bore		4 5	
FILM	For 6 12" speeds		1 15 1 17	
FILM	STORAGE CABINET. For 12 2,000 ft. Spools. Price on Stand Without Stand		8 0 6 0	0 0

Fire Extinguishers.

These Extinguishers we can strongly recommend	nd, and no Cir	nema should	be without	them.			
CONQUEST. Very Effective. 2 Gallon Capacity.					£ s. 2 15		
MINIMAX. Model A, 10 Pint Capacity Model B, 2 Gallon Capacity					4 0		
PYRENE FIRE EXTINGUISHERS					2 15	0	
FIRE-PROOF SHUTTERS FOR OPERATING BOUND Set for 1 Projector. 2 Openings Set for 2 Projectors. 4 Openings	ΟX. 				4 15		
Set for 2 Projectors and Effects Lantern or Spot	Box, 6 Oper	nings			11		



BRASS FITTINGS FOR GANGWAY ROPES. Complete with best 1" rope, with L.C.C.

breakaway centre fittings, with heavy how ends and two eye plates. Length 4ft. 6i	ok	19	6
Extra Brass Hook Ends		3	
Extra Brass Eye or Hook Plates		1	
Extra L.C.C. Breakaway Centre Fittings		2	9
FLICKER DISCS, for Lime Light Boxes		17	6

FUSE

BO	XES,	IRONCLAD.	Home Office	Type.		
10	amps.			each	2	8
15	amps.				3	4
30	amps.				4	9
60	amps.				9	8
100	amps.				15	8

GANGWAY ROPES AND FITTINGS. L.C.C. Extra Brass Hook Ends Extra Brass Hook or Eye Plates Extra L.C.C. Breakaway Centre Fittings	Pattern	Length,	4ft. 6in	 each	3	d. 6 6 9	
GAS EXIT BOXES. Stencilled Metal Front. No. 1 Quality No. 2 Quality	Opal glass	s backgro	ound 	 	16 12		



Gangway and Staircase Light Fittings.

VERY STRONG AND COMPACT. CAST IRON HOUSING.

Shows Subdued but Useful Guiding Light.

Price, without Lamp or Holder, each 3/9

Guillotine "Film Fire Preventer."

(PATENT PENDING)


HAS NUMEROUS ADVANTAGES.
PREVENTION AGAINST FILM
FIRE, also PRODUCES PERFECT
FILM DISSOLVES, Etc.

AUTOMATIC IN ACTION.
WITHOUT GEARING,
THEREFORE NO WEARING
PARTS.

DOES NOT INTERFERE WITH THREADING OF MACHINE.

SUPPLIED FOR ANY MAKE OF PROJECTOR ON APPROVAL FOR SEVEN DAYS FREE TRIAL.

Price £3.5.0



- A.—SENSITIVE BALANCED ARM.
- B.—ROLLER RESTING LIGHTLY ON CELLULOID FACE OF FILM.
- **C.**—SPECIAL METAL DROP SHUTTER.
- D.—METAL RUNNERS FOR
 WEIGHTED DROP SHUTTER
- E.—TOP FILM LOOP.
- F.—APERTURE for ARC RAYS that
 METAL DROP SHUTTER C
 IMMEDIATELY COVERS
 WHEN FILM BREAKS, RUNS
 OFF OR WHEN FILM LOOP
 INCREASES OF DECREASES
 OVER A RUNABLE SIZE.

Gaumont Projectors and Mechanisms.

dadinon rojectors and Mechanisms		. (d.
GAUMONT MACHINES, reconditioned, includes Mechanism with top and bottom arms, spool	l		
boxes, cine and lantern lens, lamphouse and side carrier and condensers mounted on adjustable iron stand	36	0	0
GAUMONT MALTESE CROSS MECHANISMS. Reconditioned. Genuine Makers' Parts		•	
Outside shutter metal, complete with driving handle, revolving shutter			0
GAUMONT SPOOL BOXES. Top or Bottom, $15\frac{1}{2}$ Reconditioned each		The same	0
Top or Bottom, 13" eac			
GAUMONT LAMP-HOUSES. Reconditioned, with brass staging eac	h 31	5	0
GAUMONT TELESCOPIC IRON STANDS. Reconditioned, with mechanism base, adjustable	e		
slide rails for lantern body	. 5 1	0	0
GELATINE TINTERS AND COLOURS. All colours, $20\frac{1}{2}" \times 24\frac{1}{2}"$		1	3
Small pieces cut as required.			
SPECIAL NON-BURNABLE COLOURED GELATINE.			
20'' imes 20''			6
20'' imes 12''			0
$13'' \times 12''$			6
			0
Cut pieces, $6\frac{1}{2}'' \times 6''$ each 9 d Set of Five Piece	es	3	6
GROOVED PULLEY WHEELS FOR CINE MOTORS from	n	2	6
HEAT DETRACTORS. Strongly made of Copper. For use on all currents		5	0
HEAT DETRACTORS (W. A.		6	0
HEAVY IRON STANDS suitable for KALEE, ERNEMANN, POWERS and PATHE N	ACHIN	AES	5.





£4 10s. 0d.

£3 15s. 0d.

IRON MUSIC STANDS. Heavy Iron base, with strong centre metal tube, with adjustable music		
stand top, and special pattern light fitting	1 10	0
IRON STANDS FOR LIMELIGHT BOXES. Very strong. Iron base, with solid centre	1 10	0
IVORINE LETTERS. Very prominent 1"×2" letters, per dozen	3	6
IVORINE NUMERALS. Very Smart. For Cinema Chairs. Per dozen		
JET BLACK COATING for Screen Borders. Easy to apply per lb.		0
JOINERS FOR FILMS. Metal. Very strong and substantial each	12	6

HIRE AND HIRE MAINTENANCE.

We Specialise in supplying Kalee, Power, Ernemann, Gaumont and Pathe Machines, also Complete Outfits, including Tip-Up Chairs. Spare Mechanisms, Arc Lamps, Resistances, Motors, etc., ALL AT EXCEPTIONALLY LOW PRICES.


Schedule Prices of "KALEE" Indomitable Model

No. 7 and No. 8 Outfits. Also Spare Mechanisms.


"KALEE" No. 7.

"KALEE" NEW MODEL No. 8.

Presents Many Valuable Aids to Perfect Production. Super-Projector for the Super Cinema.



Stand



No. 7 Ordinary Model Mechanism with Spool Arms and 15in. Spool Boxes for No. 7 Table Stand No. 7 Modified Model Mechanism with Spool Arms and 15in. Spool Boxes to fit on No. 8 Pedestal

62 0 0


£ s. d. 59 18 0

Outfit Outfit Oufit Type of Model No. 8 Outfit Model No. 7 Modified Lamp-Model No. 7 Type, Number of Arcs, Kersacope, Title Lens, etc. House on Model Table Stand. Pedestal Stand Pedestal Stand 119 0 109 0 95 0 Single Y.L. Arc Lamp 113 0 Y.L. Arc Lamp and Title Lens 123 0 0 В Single 99 0 119 0 0 M 95 0 109 0 0 Single R.L. Arc Lamp R.L. Arc, Kersacope and Title Lens 103 0 117 0 127 0 0 M.K. Single R.L. and S.L. Arcs and Title Lens 8" M.L. Arc Lamp 130 140 0 0 Double 116 M.S. 128 A.M.L. 104 118 Single 140 8" M.L. Arc, Kerascope and Title Lens 116 130 B.L.K. Single 0 149 0 139 0 8" M.L. and S.L. Arcs and Title Lens 125 0 B.L.S. Double 0 0 140 0 T.M.L. Single 10" M.L. Arc Lamp 116 0 0 130 0 T.L.K. 10" M.L. Arc, Kersacope and Title Lens 131 0 0 145 0 0 155 0 Single 0 10" M.L. and S.L. Arcs, and Title Lens 140 154 0 164 T.L.S. Double

Motor and Speed Regulator are Extras.

All the above prices are strictly nett, and are special prices for Outfits or Mechanisms as stated. Any parts not required can only be allowed for at schedule prices, and are not deductable at list prices of the individual parts

"Kalee" No. 7 Mechanism.



View of Kalee INDOMITABLE, Model No. 7, Mechanism.

No. 7C MECHANISM STANDBY.

Mechanism as No. 7, but without Spool Arms, Spool

No. 7 MECHANISM.

'Kalee Indomitable" No. 7 Mechanism, with Spool Arms. Pair of 15in. Fire-resisting Spool Boxes.

Price £59 18s. 0d. Code Word: "SEMEK."

No. 7A OUTFIT.
"Kalee Indomitable" No. 7 Mechanism with Spool Arms. Pair of 15in. Fire-resisting Steel Spool Boxes.

Mechanism and Motor Base, Belt Guide Pulley, Bolts and Felt Pad.

Lamp House with Mechanical Tray, Condenser front and Asbestos Curtain.

Fixed Lamp House Base and Bolts.

One Set of 41 in. Condenser Lenses.

Heavy Iron Stand. Type "YL" 100 Ampere Arc Lamp.

Terminal Block.

Pair of 100 Ampere asbestos covered Flexible Copper Leads. Two 133in. diameter Steel Film Spools.

Steel Curtain Light Cut-off. Kershaw Series "A" Cinematograph Lens (3in. to 7in. focus).

Spanners and one tin of "Superoil."

.... £95 Os. Od. Code Word: "SEKIN." Price

No. 7M OUTFIT.

Outfit as No. 7A, but fitted with

Type R.L. Mirror Arc Lamp and without condenser lenses and cells.

.... £95 Os. Od. Code Word: "SEMIR."

OUTSTANDING FEATURES.

Fixed Optical centre.

Perfectly Steady Picture.

Elimination of all side movement, auto track gate.

Flickerless

Enclosed Flicker Shutter.

Silent and free running. Reliability and Wear resisting.

Interchangeability of Parts.

Novel hardened steel locking cam.


Mechanical rigid focussing.

Ease of film threading and manipulation.

Fireproof.

Scientifically designed Lamp House and adjustable condenser holders.

"Kalee" No. 8 Mechanism.



No. 8D MODEL MECHANISM, with Spool Arms and 16in. Spool Boxes to fit on No. 8 Pedestal Stand £72 Os.

No. 7B OUTFIT.

Outfit as No. 7A, but fitted with Slide-over Lamp House base in Figure Two-way Steel Slide Carrier.
Lantern Slide Lens Attachment Fittings.
Kershaw Series "T" Title Lens, 8in. to 28in. focus.

Price S99 0s. 0d. Slide-over Lamp House base in place of fixed base.

Code Word: "SEBEE."

MODEL No. 7M.S. OUTFIT.

"Kalee Indomitable" No. 7 Mechanism with Spool Arms. Pair of 15in. Fire-resisting Steel Spool Boxes.

Mechanism and Motor Base, Belt Guide Pulley, Bolts and Felt Pad.

Double Lamp House with Two Mechanical Trays and Asbestos Curtain.

Plain Front with Steel Curtain Light Cut-off.

Adjustable Condenser Front, with Cells, Steel Slide Carrier and Steel Curtain Light Cut-off.

One Set of 4½in. Condenser Lenses.

Lamp House Base and Bolts.

Heavy Type Iron Stand.
Type "R.L." Mirror Arc Lamp.
Type "S.L." Scissors Arc Lamp.

Two Terminal Blocks.

Two Pairs of Asbestos covered Flexible Covered Copper

Leads.

Two $13\frac{3}{4}$ in. dia. Steel Film Spools. Kershaw Series "A" Cinematograph Lens (3in. to 7in. focus).

Lantern Slide Lens Attachment Fittings, Kershaw Series "T" Title Lens (8in. to 28in. focus). Spanners and One Tin of "Superoil."


.... £116 Os. Od. Price

RECONDITIONED KALEE INDOM MECHANISMS.					£	S.	d.
Reconditioned, with Genuine Kalee Parts, in Excellent	Running	Order,	including Top	and			
Bottom Arms, and Spool Boxes					36	0	0
						6	0
"Kalee" Asbestos Curtains, single							0
"Kalee" Asbestos Curtains, double						12	
"Kalee" Condenser Cells			per			15	0
"Kalee" Heavy Iron Stands			· · · · · · · · · · · · · · · · · · ·	• • • • • • • • • • • • • • • • • • • •	10	10	0
"Kalee" Heat and Light Shields						15	0
"Kalee" Lamphouse Base, Fixed					1	12	0
"Kalee" Lamphouse Base, Slide Over					1	12	0
"Kalee" Stereopticon Lantern (with Lens up to 18" focus)		7			36	0	0
3/- extra for every 1" over 18" for	ocus.						
"Kalee" Mechanism and Motor Base					2	4	6
"Kalee" Optical Arm, Jacket and Title Lens					3	13	6
"Kalee" Speedometer for Projectors		1	19.		5	0	0
"Kalee" Spool Arms and Boxes			per j	pair	10	0	0
"Kalee" Steel Curtain Light Cut-off					2	0	0
"Kalee" Two Way Steel Slide Carrier					1	15	0
"Kalaa" Ara Tamp Type "CI." 50 amps					7	5	0
"Kalee" Slide Lantern with 6", 8" or 10" Lens					000	10	0
					11	0	0
"Kalee" Slide Lantern with 12", 14", 16" or 18" Lens						0	0

Genuine "KALEE" Indomitable Spare Parts for the Nos. 6 and 7 Models.

All Guaranteed, and Made in Actual Maker's Factory.

No. 5 KALEE PARTS ARE PRACTICALLY THE SAME AS FOR No. 6 and No. 7 MODELS



GENUINE "KALEE" MAKERS' PARTS FOR Nos. 6 and 7 MODELS—Continued.

-0.	No.				ę	s.	d		No.	o and I mobble Continued.	c	,
	E 1	Frame			T	5.	u.		E 77	1 11 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	£ s.	
	E 2	Plates for Slide		1		3	0				5 5 1 16	
	E 3	Plate, Slide Spring Screws, Slide Plate Stud, Top Balance Spring		each		4			E 79		1 4	
	E 4	Screws, Slide Plate		per pair			6		E 79a	Clamping Screw, Rotary Shutter Guard		6
	E 5	Stud, Top Balance Spring				1	0		E 79b	Guard, Rotary Shutter	18	
	E 6	Screws, Bracket Gate Frame					6		E 79c	Sleeve, Rotary Shutter Spindle	5	
	E 7	Screws Gate Frame		per pair			6		E 79d	Nuts, Shutter Spindle Sleeve each	2	
	E 8	Bracket Gate Frame Bracket Gate Frame Slide Frame Lubricator, Oil Box Drain Plug, Oil Box Lubricators Screw, Quill Stop Screws, Rotary Shutter Bracket							E 79e	Split Collar, Loose Spindle	1	0
	E 9	Slide Frame							E 79f	Oil Trough, Shutter Bracket	5	0
	E 10	Lubricator, Oil Box				1			E 79g	Drain Plug, Oil Trough		9
	E 10a	Drain Flug, Oil Box				3			E 79h	Drain Plug, Oil Trough Screws, Oil Trough each Spindle, Rotary Shutter		3
	E 19	Sanor Orill Ston		each			6		E 80	Spindle, Rotary Shutter		0
	E 13	Screw, Quill Stop	14			1.	6			Nut, Spindle	3	
	E 14	Screws, Rotary Shutter Brace Stud Stop, Frame Slide (Bo							E 82	Spindle, Loose Rotary Shutter		6
	E 15	Stud, Bottom Balance Spring	ctom)			1			E 83	Guard, Mitre Wheel Bracket, Take-up	6	
	E 16	Rack Framing	g			1	0		E 84	Bracket, Take-up	9	
	E 17	Rack, Framing Screws, Framing Rack Screws, Retaining Quill		ner neir		-	6	in.	E 85 E 86	Spindle, Take-up Stud, Idle Roller Roller, Idle Nut, Idle Roller Stud Cover, Oil Box	8	
	E 18	Screws, Retaining Quill		per pair			6	-	E 87	Pollon Idle	4	
	E 19	Stud Stop, Frame Slide (Top	n)	per pan			9		E 88	Nut Idle Peller Stud	4	
	E 20	Arm. Top Spool	P)			18	0		E 89	Cover Oil Box	4 40	6
	E 21	Arm, Top Spool Screws, Spool Box		per pair			6		E 90	Screw, Cross Spindle Thrust	1 10	
	E 22	Waghers Shool Boy Scrow		non noin			3		E 91	Collar, Cross Spindle Thrust Screw	1	
	E 23	Screw, Top Spool Spindle					3		E 92	Screws Collar Locking per pair		
	E 24	Screw, Top Spool Spindle Spindle, Top Spool Arm Nuts, Spool Arm Bolt Arm, Bottom Spool				4				Screws, Collar Locking per pair Window, Oil Level	4	6
	E 25	Bolt, Top Spool Arm				1			E 94	Bing Retaining Window	1	
	E 26	Nuts, Spool Arm Bolt		each			6		E 95	Screws, Oil Box Cover per pair Plug, Oil Box Drain Deflector, Oil Screws, Oil Deflector per pair Stud, Roller Bracket		6
	E 27	Arm, Bottom Spool			1	3			E 96	Plug. Oil Box Drain	1	6
	E 28	Doit, Dottom Spool Arm				1			E 97	Deflector, Oil	1	
	E 29	Screws, Bottom Arm Bracke	t	per pair			6		E 98	Screws, Oil Deflector per pair		6
	E 30	Bracket Bottom Arm				15	0		E 99	Stud, Roller Bracket	3	
	E 31	Spindle, Bottom Spool Collar, Spacing Wheel, Bevel Collar, Driving Clutch Plate, Clutch Disc, Friction (Leather) Plate, Clutch (Keyed) Collar, Spring Thrust Spring Tension				17	6				2	
	E 32	Collar, Spacing				1	6	-	E101	Spring, Roller Bracket Frame, Roller Bracket Rollers, Flanged each Rollers, Grooved each	1	
	E 33	Wheel, Bevel					0		E102	Frame, Roller Bracket	4	
	E 34	Collar, Driving Clutch				2			E103	Rollers, Flanged each	5	
	E 35	Plate, Clutch				1			E104	Rollers, Grooved each	5	0
	E 36	Disc, Friction (Leather)					9		E109	spinale, for Grooved Roller	2	
	E 37	Plate, Clutch (Keyed)				2			E106	Assembly, Complete (E99 to E105)	1 4	0
	E 38	Collar, Spring Thrust				1			E107	Frame, Gate Plate, Mask	1 10	0
	E 39	Spring Tension Nut, Spring Tension Pinions, Bevel					9		E108	Plate, Mask	8	0
	E 40 E 41	Nut, Spring Tension				2			E109	Screws, Mask Plate per pair		6
	E 42	Spindle, Take up (Bottom)		each		7				Spindle, Film Guide Rollers	1	
	E 45	Spindle Take up (Losse)				7			EIII	Roller, Film Guide Roller, Film Guide (Sliding)	8	
	E 46	Spindle, Take up (Loose) Spring, Body Balance				12			E112	Roller, Film Guide (Sliding)	9	
	E 47	Disc, Rotary Shutter (Cardb	oard 3	Blada)		4	0		E113	Spring, Film Guide Roller		6
		Disc, Rotary Shutter (Cardbo	ard 2.I	Blade)		4			E114	Shield Cate Heat	1	0
	E 47b	Disc, Rotary Shutter (Alumin	ium 3.	Blade)		12			E116	Spring, Film Guide Roller Collar, Film Guide Roller Spring Shield, Gate Heat Screws, Gate Heat Shield Catch, Gate	1	
]	E 47c	Disc, Rotary Shutter (Alumin	ium 2-	Blade)		12			E117	Catch Cata	-	6
]	E 48	Boss, Rotary Shutter				6			E118	Spring Cata Catab	5	
	E 49	Trap, Film (Complete)				13	0		E119	Screws, Gate Catch per pair		6
_	E 50	Pinions, Framing (complete)				4	0		E120	Screws, Gate Catch per pair	4 7	6
	E 51	Handle, complete				18	o		E121	Dia Cata III:	1 7	
	E 52	Screw for Handle				1	0		E122	Collar Loose Gate Hinge	1	6
	E 53	Spindle Main Sprocket, Bottom Collar, Main Spindle Spindle, Top Sprocket, Top				15	O		E123			6
	E 54	Sprocket, Bottom			1	4	0		E124	Collar Fixed Gate Hinge	1	0
	E 55	Collar, Main Spindle				1	0		E125	Plate, Catch	1	6
	56	Spindle, Top				10	0		E126	Screws, Catch Plate per pair		6
	57	Sprocket, Top			1	4	0		E127	Skate, Gate	4	6
	58	Collar, Top Spindle Spacing				2	6		E128		2	
	59	Bevel, Top Spindle, Vertical				17	6		E129	Bar, Gate Skate Spring, Retaining	2	0
	E 60	Spindle, Vertical				2	6		E129a	Bar (clear holes), Gate Skate Spring		
	61	Disc, Auto Shutter (Bottom)				9	0			Retaining	2	0
	62	Disc, Auto Shutter (Top)				7	6		E130	Retaining Screws, Bar per pair		9
	63	Spring, Auto Shutter				1	6		E130a	Nut Tension, Plain	1	0
	64	Shell, Spring				5	3		E130b	Bracket, Tension	6	0
	65	Shutter, Spindle and Auto (co.	mplete			8	0		E130c	Stop Washer, Tension	1. 4	6
	66	Wheels, Spiral Mitre		each		12	0		E131	Nut Tension, Plain	1	0
	67	Spindle, Pinion and Cam (co.	mplete		3	0	0		E132	Spindle, Top Roller Gate	1	0
	68	Pin and Roller, Cam Striking				4	6		E133	Roller, Top Gate	4	6
	69	Washer, Pinion Thrust				1	6		E134	Spindle, Gate Bracket and Roller	1	0
	70	Nut Elymbool Detaining	••••			18	0		E135	Roller, Bottom Gate	4	0
	72	Flywheel Nut, Flywheel Retaining Quill, Cross Spindle Bearing				1	0		E136	Bracket, Gate Shoe Spring, Gate Shoe Bracket	4	0
	73	Spindle, for Cross and Inter	Spreak			10	0		E137	Spring, Gate Shoe Bracket		3
		Cross. Maltese	phrock			15			E138	Collar, Spring		9
	75	Cross, Maltese Sprocket, Intermittent				13	0		E139	Spindle, Gate Shoe Bracket	1	0
	76	Screws, Inter Sprocket		ner neir		1	3		E140 E141	Shoe, Inter Sprocket Gate Bracket	6	0
		oprodict		her han			3		13141	Washers, Shoe Spacing each		3

GENUINE "KALEE" MAK	ERS' PARTS FO	R Nos. 6 an	d 7 MODE	LS—Contin	nued.			
Tito C. I C. T. IIII	1 1 5 2 2 1 1 1 1 2 1 1 1 7 3 3 6 6 6 2	0 E153 0 E154 3 E155 6 E156 3 E157 3 E158 6 E169 6 E161 0 E162 6 E163	Screw, Focuss Stud, Cine Le Holder, Title Screw, Thuml Bracket, Title Screw, Thuml Spindle, Title Spring, Title Nut, Focussin Screw, Focuss Stripper, Top Screw, Top S _I Holder, Series	ns Holder Sto Lens o (Clamping B e Lens o (Clamping S Lens Holder Lens Holder g (Title Lens) ing Nut, Reta Sprocket	p Lolder) pindle) ining		£ s. 2 12 1 7 1 3 2 2 1 10 6	6 6 0 3 0 3 6 6 6 6 0 3 0
KALEE MACHINES, recondicine and lantern lens, iron stand	lamphouse and slid	chanism with e carrier, and	top and bo	ttom arms, mounted of	spool bo on adjusts	xes, able	£ s.	d.
KING SLIDES, Copper Mica Glass, plain Glass, coloured LAMP HOUSE GLASSES	FOR SPY HOLI	 E. Round or				each 	2 10 3 3 1 1	0 9 9 0 6 6
LANTERN LENSES. Proj 6", 8", 10", 12", 14", 1	ection Tube Type for 6", 18", 20", 22" and 20", 22" and 20", 22" are	or all makes of nd 24" Focus	f Cine Machin	nes and Lan	terns.	each	16	
	c Lamp, Asbestos (ess Stand)	Curtain, Iron	Stand			1	1 11 8 0 4 0	0 0 0
LANTERN PLATES, Black Black, per box of 1 D LACQUER FOR ELECTRIC LARGE DIAMETER CINE	Pozen Slides C LAMPS. All		 pint			and	2 1 5 15	0 6 0
LEADS, Flexible, for Arc La LEATHER BELTING for Cir	amps, asbestos cov ne Motors, $\frac{1}{4}$ " diam.	vered. Per j	pair, 12" and	l 15" length	ıs		4	6 4
Smalls, Spaces, Stops a LETTERS. Ivorine for Cine Numerals for Cinema (and Commas, suppl	ied in 3" and	4" sizes		per	set	2 2 3 3	0 6 6
Larger Pattern, with 2	e Stands, with adju Lampholders, 15"	stable light s long	hutter with	lampholder	8" long		6	0
	spot, No. 2	special move complete with Model	ment for quantum condenser	and colours	for flood	or 	4 15 3 15	
		meter, 9" for meter, 6" for	eus	SES	7/6	and	12 18	6 0
	LIMELIGHT Very LIMELIGHT	strong. Iron	n base, with		e	1	1 12	6
		ted up with f			r Set of	Six	5	0
	MACHINES FOR E		ECONDITI	ONED.				2



METAL CHECKS FOR T

Machine Repairs.

WE ONLY USE GENUINE MAKER'S PARTS, WHICH ARE FITTED BY EXPERIENCED MECHANICS.

EVERY SATISFACTION GUARANTEED.

ESTIMATES FREE.


	G.P. ALL ADJ		MUSIC	STAND.			£	s.	d.
u u	Old Gold	Finish					1	15	0
	Adjustable Height	. Adjustable Very				t Shield.			
		Complete							
	MENISCUS CO								
	4"					each		2	6
	$4\frac{1}{4}''$					each		2	6
	$4\frac{1}{2}''$					each		3	0
			~						
L CHECKS FOR T All Shapes for vario				condhand, b				15	0
				~~~				1	
					5				



Strongly made for use on all currents




METAL CHECK RECEIVING BOXES. Very strongly made, with special shaped top leach



NUMERALS FOR TIP-UP SEATS.  $1\frac{1}{2}"\times \frac{3}{4}"$ LETTERS FOR TIP-UP SEATS.  $2'' \times 1''$ 

per doz. per doz.





ORCHESTRAL ELECTRIC LIGHT SHADES.

With Special Adjustable Shutter. 8in. in length. With One Lampholder Ditto, 15in. in Length. With Two Lampholders

PAILS, FIRE AND SAND.

Strongly made. Regulation type

3

PALMER'S FILM CLEANER.

Cleans both sides of the film. Fits to any re-winding board. No operating room should be without one Refills

Wires: Geremlapsi, London.


PANIC RO	OPES, L	.C.C. Pattern.	4ft. 6in. in length.	Complete	 	£ s.	
Spa		Hook Ends			 unity is the		6
,		Eye or Hook Pla L.C.C. Centre Fi			 	La company the setting	6 9

### PHOTO FRAMES, WALL OR EASEL


Any Writing Matter on the Pediment can be arranged to suit Customer's Requirements. Our Stock Lines are as follows :-

> COMING SHORTLY SHOWING TO-DAY

MONDAY NEXT THURSDAY NEXT



### EASY FIT PHOTO FRAME For Outside or Lobby Display.



New, novel and effective method of quickly securing each Photograph in correct position without using pins or paste. Strongly made of special selected oak, fluted in an attractive design and well polished in either oak or mahogany. Complete with glass door and coloured mount, ready for use .. £3 5 0

Size  $37\frac{1}{2}$ in. wide  $\times$   $29\frac{1}{2}$ in. high  $\times$   $1\frac{3}{4}$ in. deep.

### POSTER OR PROGRAMME FRAMES SUPPLIED AT THE SAME PRICES.

Beautifully finished in Solid Mahogany, with Gold Letters, with Black Relief. Overall Measurements:—8 Photo Frame, 5ft. high by 3ft. 2in. wide.

Price of 8 Photo Frame	WALL PATTERN, £9 15s.	04 .	FASET	DATTEDN	C40 7- 01
THOO OF O THOUSE TRAINE	William Intimity, at 105	. ou.,	LAGEL	TALLERN,	£10 /S. 6d.
Overall Meas	urements:—10 Photo Frame, 6	ft. high	by 3ft. 2i	in. wide.	

Orera	11 111000	arcmenes. 10 1 noto	Frame, ore. mg	311 by 510. 2111. wide.
Price of 10 Photo Frame		WALL PATTERN,	£11 15s. 0d.	; EASEL PATTERN, £12 7s. 6d.

PNEUMATIC SPRAYERS AND VAPOURISERS	1 , 11	 	1 15	0
VAPOUR SPRAYERS.	6 Pints, Copper	 	2 5	0
NT 1 G' 17// 1	N.			

No. 1 Size, 15" long	 	····	 	4 9 min 4 m	11	6
No. 2 Size, $20\frac{1}{2}''$ long	 		 	and the	14	6
No. 3 Size, $25\frac{1}{2}''$ long	 		 		18	0

### POSTER SLIPS. Red or Blue Letters on White background, with following wording:-

- "TO-NIGHT." "TO-DAY. "NEXT WEEK." "MON., TUES., WED."
- "THURS., FRI., SAT." "ALL THE WEEK."
  "THURSDAY NEXT."
  "ENORMOUS SUCCESS." "MATINEE TO-DAY." "MONDAY NEXT."
- "COMING SHORTLY." 2/- per 100. 18/- per 1,000 Assorted.

PROGRAMME BOARD LETTERS Commas supplied in 3" and 4"	. Complete sizes. Per	Set of Set	Capitals and	Spaces, Sto	ps and		s. 2	
PROJECTION LENSES.  Dallmeyer, small diameter				 		5	0	0
Taylor-Hobson "Maximum" "Unifit"				 		13 11	0	0

### PROMET PATENT LIGHT CONDENSERS.

Price .... £12 0s. 0d. per set.


Already installed in over 200 Theatres on recommendation alone, and can be fitted to any make of Projector.

Spare Glasses:—No. 1, £1 7s. 0d. each. No. 2, £1 10s. 0d. No. 3, £1 2s. 0d. each. No. 4, 15/- each.

The Spare Glasses are as follows:—No. 1 nearest Arc; No. 2 next; No. 3 next; No. 4 nearest Screen.

# Power's No. 6 Cameragraph.

PRICE LIST OF PARTS pertaining to the MECHANISM.



### NEW REVISED PRICE LIST OF POWERS PARTS.

Owing to the Government having put a Tariff Duty of 50 per cent. on all Cinema Parts our old Catalogue Prices are cancelled.

### POWER'S CAMERAGRAPH MECHANISM, No. 6-continued

No.	Name		Price		No.	Name	Price
600	Ton France Costing in chaling Themb		S.		050		£ s. d.
$\frac{602}{603}$	Top Frame Casting including Thumb screws	11	17	6	678	Toggle Joint Idler Gear	15 9
604	Framing, Carriage Top Frame Supporting Rods (2) each		5	3	679 680	Toggle Joint Idler Gear Spindle	1 0 3
605	Stereo Bracket Holder with Thumbscrews		11		682	Driving Gear for Idler	12 9
606	Stereo Bracket with Thumbscrew		15		683	Connecting Link Small Horizontal Lever	11 3
607	Stereo Collar Casting		9	5	684	Small Horizontal Lever Large Guide Casting Small Casting	12 9
608	Stereo Lens Rod			6	685	Small Casting	5 8
$\frac{609}{610}$	Small Top Roller			11	686	Studs for Horizontal Lever (2) each	3 0
611	Small Top Roller Spindle Set Collar for Small Top Roller			3 6	687 688	Aperture Plate	11 3
612	Top Roller Bracket		11		689	Gate	11 3
613	Top Roller Bracket  Large Top Roller  Large Top Roller Spindle  Top Roller Bracket Spring			9	690	Gate	9 5
614	Large Top Roller Spindle		3		691	Guide Rollers (2) each	3 2
615	Top Roller Bracket Spring		1	The state of the s	692	dude Honer Dushing, Spring and Spindle	6 9
$\frac{616}{617}$	Set Collar for Large Top Roller Top Sprocket		1 5		693	Latch for Door	2 3
618	m - c 1 1 c 1 11		0	U	694 695	Gate Hinge Pin	11 3
619	Top Sprocket Spindle Top Sprocket Feed Gear (Large)	2	3	9	696	Cooling Plate	11 3
620	Top Sprocket Feed Gear (Small)				697	Cate Hinge Pin Cooling Plate  Flap for Automatic Shutter Rock Shaft for Automatic Shutter Carriage Guide Rods (2)  Outside Revolving Shutter Blade  Control Revolving Shutter Blade	6 9
621	Pinion for Automatic Shutter Spindle Spindle for Automatic Shutter	1	1	6	698	Rock Shaft for Automatic Shutter	3 0
622	Spindle for Automatic Shutter				699	Carriage Guide Rods (2) each	3 0
$623 \\ 624$	Friction Case Cover for Automatic Shutter Friction Case Cover for Automatic Shutter	1	6		700 701	Outside Revolving Shutter Blade	15 9
625	Friction Shoe with Spring for Automatic		0	3	701	Outside Revolving Shutter Bushing (Large) Outside Revolving Shutter Bushing (Small)	18 9
	Shutter		4	9	703	Outside Revolving Shutter Flange	10 0
626	Friction Weight for Automatic Shutter		4	9	704	Lens Ring Screws (3) each	1 6
627	Lever for Automatic Shutter		18		705	Lens Ring Screws (3) each Upper Film Shield Fly-Wheel Spindle Screw	11 3
628			11		709	Fly-Wheel Spindle Screw	3 0
$\frac{629}{630}$	Crank Shaft Driving Geer		5		710	Upper Roller Bracket Screw with Nut	6 9
631	Crank Shaft Driving Gear Crank Shaft		12		715 718	Gate Springs (2) each Screw holding Governor Cover to Shaft	1 6
632	Crank with Handle complete  Small Gear Meshing in Driving Gear  Large Gear for Front Shutter  Driving Gear Spindle  Small Gear for Front Shutter		12		719	Screw to adjust Intermittent Sprocket Roller	9
633	Small Gear Meshing in Driving Gear				720	Stud and Nut holding Upper Roller Bracket	6 9
634	Large Gear for Front Shutter	2	12	2	721	Screw holding Upper Sprocket Roller Spindle	6
$\begin{array}{c} 681 \\ 635 \end{array}$	Driving Gear Spindle		-		722	Gate Latch Screw and Nut	1 6
636	Spindle for Front Shutter  Spindle for Front Shutter  Bracket for Front Shutter		14	11	723	Screw holding right hand intermittent shaft	
637	Bracket for Front Shutter	1			724	bushing Screw to adjust Lower Sprocket Rollers (with	9
638	Set Collars (2) for Front Shutter Spindle each	1	2	3	.21	nut)	9
639	Stud with Screw for Front Shutter Bracket		1	6	725	Screw holding Take-up Roller Bracket	9
640	Large Idler Gear Spindle	1	17	6	726	Collars on Lower Bracket Roller Spindles each	1 6
$\begin{array}{c} 641 \\ 642 \end{array}$	Large Idler Gear Spindle Set Collar				727	Screws holding Top Frame Casting Support Rods	9
643	Take-up Feed Driving Gear		2	3	$728 \\ 729$	Screw holding Horizontal Lever Spring for Gate Roller Guides	9
644	Take-up Feed Pulley	1	0	0	730	Screws (2) holding Framing Device Clamp each	9
645	Take-up Feed Pulley Take-up Feed Spindle				731	Stamp on Wide Wing of Shutter	9
646	Take-up Feed Sprocket (same as No. 617)	1	5		732	Upper Screw holding Shutter Bracket	9
647	Framing Device Clamp		8	2		Lower Screw holding Shutter Bracket	
648	Framing Device Lever Socket Framing Device Lever Socket Link		15	8	734	Screw for adjusting Tension Shoes	9
650	Framing Device Lever Socket Link  Framing Device Lever		6	3	$\begin{array}{c} 735 \\ 736 \end{array}$	Shutter Spindle Collars each Oil Hole back of Shutter Bracket	1 6
651	Framing Device Screw		1	6	737	Magazine Thumbscrews (2) each	2 3
652	Framing Device Wing Nut		1	6	738	Set Screws for Sprocket	9
653	Take-up Roller Bracket		14	0	739	Screws (2) in Outer Shutter Hub each	9
$654 \\ 655$	Take-up Roller Carrier Take-up Roller Spindle		7		740	Screw holding Revolving Shutter to Shaft	9
656	Set Collar for Small Spindle (same as No. 611	1	2	6	741	Spring (2) for Automatic Governor Friction	11
657	Take-up Rollers (2) each	'		11	743	Shoes each Screw holding Left Hand Intermittent Shaft	11
658	Take-up Roller Bracket Spring		1		10	Bushing	. 9
659	Intermittent Roller Bracket		19		744	Set Screws (2) to tighten Connecting Link 682	
660 661	Intermittent Roller		~ 7	-		each	9
662	Intermittent Roller Bracket Spindle Intermittent Set Collar for Shaft		2		745	Screws (2) holding Small Casting 685 against	•
663	Intermittent Set Collar for Shaft Intermittent Spring		1		-	Connecting Link Pin to engage Slots in Fly-wheel Pinion	9
665	Intermittent Spindle (not sold separate from)				748	Washer between Fly-wheel Gear and Boxing	1 6
222	No. 666)	1	17	6		ers Gate Comp	4 14 6
666	Pin Cross (with Spindle No. 665)					750	2 5 0
$\begin{array}{c} 667 \\ 668 \end{array}$	Intermittent Sprocket Gate Spring Support		15	0		751	7 2
669	Apron complete with Roller		14			752	3 2 15 9
670	Intermittent Bushing (Large)		15			754	6 9
671	Intermittent Bushing (Small)		6	3		755	11 3
672	Fly Wheel	1	8	2		756	1 6
673 $674$	Oil Cup for Intermittent Movement		3			757	8 3
	Cover for Intermittent Movement and Fly		18	9		758	1 6
	Wheel Spindle	3	0	0		759	3 9 5 6 3
677	Pinion for Fly Wheel		10				

						£	s.	d.
PROJECTORS, NEW AND SECOND-HAND,	ALWAY	SIN	STOCK.					
PROMET PATENT LIGHT CONDENSERS				Price	e, per set	12	0	0
PULLEY WHEELS FOR CINE MOTORS				Fr	om, each		2	6
PYRENE FIRE EXTINGUISHERS		,			,,	2	15	0
PYRENE WALL BRACKETS							7	6
PYRENE LIQUID REFILLS							7	0
RAINBOW SLIDES		·	·		each			9
RAINBOW COLOUR WHEELS						1	0	0
RESERVED OR ENGAGED SEAT CARDS.	Black Le	tters on	White Backg	round.				
12"×4"					Per 100		3	6
$6'' \times 2\frac{1}{2}''$					Per 100		2	6
METAL CLIPS FOR RESERVED OR ENGA	GED SE	AT CA	ARDS.					
Very Compact and Strong					Per Doz.		3	0
					Per 100	1	10	0
COMBINED ENGAGED SEAT and NUMBER IN	DICATO	R. Alwa	ays ready for in	nstant 1	ise each			10
				e per ]				9

### Roll Tickets

Very strong and well Perforated. Each Roll contains 1,000 Tickets. All Prices stocked from 1d. to 3/6.

	IIII THEES STOCKED	110m 14: 00 0/	9.	CDECTATES	DIMED WI	OTT TIME			
				SPECIALLY F		CKETS.			
Stock-word	ed, Printed and Number	ed :—		Single 1	Numbers.				
ADMISSION COMPLIMENTARY TRANSFER	Single Rolls At least 10 rolls At least 20 rolls At least 100 rolls	1/- per roll 10d. ,, ,, 9d. ,, ,, 8d. ,, ,,	Three Rolls Five Rolls Seven Rolls	3/- ,, ,, 2/9 ,, ,, 2/- ,, ,,	10 TO 11	s 1/s 10 s 8½ s 8¢	2 per 1 - " , 0½d.,, , ½d. ,, , d. ,, , ¼d. ,, ,	·, ·, ·, ·,	
St	ocked in all colours.		20 Rolls	1/4 ,, ,,	1000 Rolls		d. "		
				Plus 2/6 per ch					
Double-Numb	ered Tickets ½d.	per roll extra.		If Double Number Tickets are required, 1½d. per Roll extr on all above prices.					
							£ s.	d.	
ROPES AND FI	TTINGS FOR BA	RRIERS. L.C	.C. Pattern. 4'	6" length co	mplete		19	6	
	TT 1 TT 1				•		3	6	
	ss Eye or Hook Pla						1	6	
Spare Bra	TOO Contra Ed								
	ss L.C.C. Centre Fit						2	9	
ROUND CARBO	N BRUSHES for	Cine Motors.	Round or Squar	re, ¼" diamete	er			6	
RUSSIAN IRON		Strongly made.	Stencilled me		Opal glass l	back-			
N	Vo. 1 Quality						16	6	
	Vo. 2 Quality						12		
	LIMELIGHT B					otion			
for flood	or anot complete w	th condensor of	ad salaran		for quick a		A 4F	^	
	or spot, complete wi	ith condenser a	nd colours.				4 15	0	
No. 2 Pat	tern						3 18	0	

# REPAIRS OF ALL MAKES OF PROJECTORS

BY OUR OWN MECHANICS

Using only the Genuine Maker's Parts. :: Full Satisfaction Guaranteed.

# Regulating Arc Resistances

FOR ONE ARC. ALL ARE CONSTANT RATED.

SPECIFICATION.

FRAME.—Constructed of wrought iron, giving great adaptability to the large variety of sizes made.

TERMINALS AND STUDS.—Large and all brass throughout, and fitted with double brass washers at every connecting

TYPE.—Usually wall type, but can be made floor or portable

type if required.

DESIGN.—All resistances are of well spaced design and will pass
L.C.C. requirements, if guard is ordered.


DELIVERY .- All parts of frames kept in stock assembled, except the coils which are wound to the requirements of Despatch can generally be made same day as each order. order received.

WIRE of highest grade copper-nickel resistance alloy, nonferrous and having negligible temperature co-efficient, constant rated throughout and capable of carrying large overload current.


SWITCH of our own exclusive design, with laminated heavy copper brush, giving perfect contact and easy step by step regulation which is usually in 10 ampere steps or smaller.

EXTRA CONTACTS can be fitted at specially desired points other than standard, at slight extra cost.

Expanded Metal Framed Guards as price shown. Portable type, or Back-of-Board type, or Through-the-Wall type at prices according to requirements.



R 108 Single Frame



R179 Double Frame

	AMPS Regulation	Contacts.	For 60-80 volt Generator Supply or 100-250 volt Company Mains (allowing for 48-50 volt arc).						
			Cat. No.	60 Volt.	Cat. No.	70 Volt.	Cat. No.	80 Volt.	Guard Extra
	5-10 5-15 5-20 5-25 5-30 15-40 20-50 20-60 20-70 20-80 30-90 30-100	6 6 6 6 5 5 5 6 7 7 8	R 113 R 114 R 115 R 116 R 117 R 118 R 119 R 120 R 121 R 122 R 123 R 124	£ s. d. 2 12 0 2 13 0 2 14 0 3 0 0 3 10 0 3 13 0 3 16 0 3 19 0 4 2 0 4 19 0 5 9 0	R 101 R 102 R 103 R 104 R 105 R 106 R 107 R 108 R 109 R 110 R 111 R 112	£ s. d. 2 12 0 2 14 0 2 16 0 3 2 0 3 18 0 4 1 0 4 4 0 4 7 0 5 4 0 5 14 0	R 125 R 126 R 127 R 128 R 129 R 130 R 131 R 132 R 133 R 134 R 135 R 136	£ s. d. 2 14 0 2 16 0 2 18 0 3 3 0 3 18 0 4 2 0 4 10 0 4 13 0 5 14 0 6 4 0	10/6 10/6 10/6 12/- 12/- 13/4 13/4 13/4 14/6 16/-
				100 Volt		110 Volt		120 Volt	
	5-10 5-15 5-20 5-25 5-30 15-40 20-50 20-60 30-70 30-80 30-90 30-100	6 6 6 6 5 5 5 5 6 7 8	R 149 R 150 R 151 R 152 R 153 R 154 R 155 R 156 R 157 R 158 R 159 R 160	£ s. d. 2 18 0 3 4 0 3 10 0 3 16 0 4 2 0 4 8 0 5 14 0 6 0 0 6 10 0 7 6 0 7 18 0	R 137 R 138 R 139 R 140 R 141 R 142 R 143 R 144 R 145 R 146 R 147 R 148	£ s. d. 2 18 0 3 4 0 3 10 0 3 18 0 4 4 0 5 6 0 5 18 0 6 16 0 7 12 0 8 4 0	R 161 R 162 R 163 R 164 R 165 R 166 R 167 R 168 R 169 R 170 R 171 R 172	£ s. d. 3 0 0 3 6 0 3 14 0 4 0 0 4 6 0 4 12 0 5 9 0 6 10 0 7 0 0 7 18 0 8 12 0	12/8 12/8 13/4 13/4 13/4 16/- 16/8 16/8 16/8 16/8 120/- 20/-
				200 Volt		220 Volt		250 Volt	
	5-10 5-15 5-20 5-25 5-30 15-40 20-50 20-60 30-70 30-80 30-90 30-100	6 6 6 6 6 5 5 5 6 7 8	R 185 R 186 R 187 R 188 R 189 R 190 R 191 R 192 R 193 R 194 R 195 R 196	£ s. d. 4 4 0 4 18 0 5 10 0 7 2 0 8 0 0 8 16 0 11 7 0 12 10 0 15 0 0 PLEASE	R 173 R 174 R 175 R 176 R 177 R 178 R 179 R 180 R 181 R 182 R 183 R 184	£ s. d. 4 6 0 5 0 0 5 12 0 7 6 0 8 4 0 9 0 0 10 12 0 11 14 0 12 18 0 15 12 0 ASK	R 197 R 198 R 199 R 200 R 201 R 202 R 203 R 204 R 205 R 206 R 207 R 208	£ s. d. 4 10 0 5 4 0 5 16 0 7 12 0 8 12 0 9 6 0 11 4 0 12 2 0 13 10 0 16 8 0 PRIOES.	$\begin{array}{c} 16/-\\ 16/6\\ 18/-\\ 18/-\\ 18/-\\ 19/-\\ 21/6\\ 25/-\\ 25/-\\ 25/-\\ \end{array}$

INTERMEDIATE VOLTAGES AT PRO-RATA PRICE. INTERMEDIATE AMPERES AT NEXT SIZE LARGER.

We have manufactured some thousands of these resistances to the orders of the leading firms for the best Theatres. in Great Britain and abroad, and the constant repeat orders over 16 years, guarantee the reliability of these Resistances and satisfaction of the customer.

# Patent Duplex Resistances

FOR TWO CINEMA ARC LAMPS.

The general specification is in accordance with the Single Line Regulating Resistance overleaf, as regards all Best Materials and Constant Rating throughout.

The control consists of a fully patented device, whereby duplex advantages are obtainable, and the current flowing is limited to a pre-determined value.


The quad shaped handles permit the full range of regulation for each arc, and also minimum current on each arc for the purpose of forming a crater in new carbons. The maximum, however, can only be used on one arc at a time. This prevents overload of the Generator.

INTERMEDIATE VOLTAGES
PRO RATA PRICES.

INTERMEDIATE AMPERES
NEXT SIZE LARGER.

SIZES UP TO 30 AMPS.
SUITABLE FOR MIRROR ARC
LAMPS.

COMPLY WITH
L.C.C. REQUIREMENTS
WHEN FITTED WITH GUARD.



Patent 195490/22

GRADED IN REGULAR AMPERE STEPS.

EXTRA CONTACTS CAN BE FITTED AT 2/- TO 4/- EACH EXTRA UP TO A TOTAL OF 11 CONTACTS & CONNECTIONS EACH SIDE.

ALL FITTED 6 TERMINALS FOR EASY CONNECTION. 2 Main—2 Are No. 1—2 Are No. 2.

GUARANTEED THOROUGHLY RELIABLE.

	Amperes	In Steps of	No.	60 Volt.	No.	70 Volt.	No.	80 Volt.	Guard Extra.
	5- 10 5- 15 5- 20 5- 25 5- 30 10- 40 10- 50 10- 60 10- 70 10- 80 10- 90 10-100 20-120	1 amp. 2 amps. 3 amps. 4 amps. 5 amps. 6 amps. 8 amps. 10 amps. 12 amps. 14 amps. 16 amps. 18 amps.	T 514 T 515 T 516 T 517 T 518 T 519 T 520 T 521 T 522 T 523 T 524 T 525 T 526	£ s. d. 6 6 0 6 9 0 6 12 0 7 4 0 7 10 0 8 6 0 8 12 0 8 16 0 9 0 0 9 6 0 11 2 0 11 12 0	T 501 T 502 T 503 T 504 T 505 T 506 T 507 T 508 T 509 T 510 T 511 T 512 T 513	£ s. d. 6 8 0 6 12 0 6 16 0 7 8 0 7 16 0 8 12 0 9 0 0 9 6 0 9 12 0 9 18 0 11 16 0 12 14 0 13 8 0	T 527 T 528 T 529 T 530 T 531 T 532 T 533 T 534 T 535 T 536 T 537 T 538 T 539	£ s. d. 6 12 0 6 18 0 7 2 0 7 16 0 8 6 0 9 4 0 9 16 0 10 6 0 10 12 0 10 18 0 12 18 0 14 0 0 14 18 0	13/4 13/4 13/4 13/4 13/4 13/4 13/4 14/6 14/6 16/6 16/6
1				100 Volt.		110 Volt.		120 Volt.	
	5- 10 5- 15 5- 20 5- 25 5- 30 10- 40 10- 50 10- 60 10- 70 10- 80 10- 90 10-100 20-120	1 amp. 2 amps. 3 amps. 4 amps. 5 amps. 6 amps. 10 amps. 12 amps. 14 amps. 16 amps. 18 amps.	T 553 T 554 T 555 T 556 T 557 T 558 T 559 T 560 T 561 T 562 T 563 T 564 T 565	£ s. d. 6 16 0 7 4 0 8 0 0 8 12 0 9 4 0 10 8 0 12 6 0 13 0 0 13 10 0 14 6 0 16 0 0 17 12 0 20 6 0	T 540 T 541 T 542 T 543 T 544 T 545 T 546 T 547 T 548 T 549 T 550 T 551 T 552	£ s. d. 6 18 0 7 8 0 8 4 0 8 18 0 9 10 0 10 16 0 12 18 0 13 14 0 14 4 0 15 0 0 16 18 0 18 16 0 21 12 0	T 566 T 567 T 568 T 569 T 570 T 571 T 572 T 573 T 574 T 575 T 576 T 577 T 578	£ s. d. 7 0 0 7 12 0 8 8 0 9 6 0 10 0 0 11 8 0 13 16 0 14 12 0 15 8 0 16 0 18 4 0 20 14 0 23 12 0	13/4 13/4 14/6 14/6 14/6 16/6 18/- 18/- 18/- 18/- 20/- 20/- 25/-

ENAMELLED SLATE PANELS ARE SUPPLIED IN THIS PATTERN.

PRICES ARE NOT GIVEN FOR 200-250 VOLTS AS DUPLEX RESISTANCES ARE GENERALLY USED WITH M.G. SETS.

"CELEC" DUPLEX DISSOLVING RESISTANCES HAVE GIVEN COMPLETE SATISFACTION IN HUNDREDS OF PICTURE THEATRES SINCE WE INTRODUCED THEM IN 1913, AND THE IMPROVED PATENT PATTERN IN 1922.

Projecting	Lanterns.
------------	-----------

Frojecting Lanterns.			
		£ s.	d.
SLIDE PROJECTING LANTERNS, New, Strongly made with large size Lantern Body, he			
brass staging, and brass extension tube, condenser glasses, tube lantern lens of	any		
focus, and two-way metal slide carrier		6 15	0
SAFETY AUTOMATIC SHUTTERS, FIREPROOF. For Operating Room.			
Set for One Projector, Two Openings		4 15	0
Set for One Projector, Two Openings		8 0	0
SAND AND FIRE BUCKETS. Strongly made	each	6	0
SCISSORS PATTERN ARC LAMPS	each	1 5	0
SCREEN DRESSINGS. For giving Perfect Projection. For 20ft. Screens		2 10	0
S.D.N. COPPER COATED KINARKO CARBONS. See Page 14.			
SECOND-HAND MACHINES ALWAYS AVAILABLE.			
Genuine Makers' Parts used on all Machines. Various Makes always in stock.			
SHADES FOR ORCHESTRA LIGHTS.			
With adjustable shutter and one lampholder. 8" in length		6	0
,, ,, ,, two lampholders. 15" in length			0
SPY HOUSE GLASSES for any Make of Lantern Body. In Red, Blue or Green		each	6d

### Strong Steel Spools, Solid and Split

FOR ANY MACHINE WITH  $\frac{3}{16}$ ",  $\frac{3}{8}$ " OR  $\frac{1}{2}$ " SPINDLES.



				£	S.	d.
12in. size SOLID					4	0
$13\frac{1}{2}$ in. diam. SOLID					5	0
12in. Size SPLIT SPOOL					6	6
13½in. Size SPLIT SPOOL					7	0
and of the highest cla	ss finish.					
CLIDE WRITING INVO						_
SLIDE WRITING INKS. Black, Red. Green, or	r Blue.	Per	Bottle		1	6
Black, Red, Green, or	r Blue.	Per	Bottle		1	6
	r Blue.	Per			1 5	6 0
Black, Red, Green, or COVER GLASSES.					1 5	
Black, Red, Green, or COVER GLASSES. $3\frac{1}{4}'' \times 3\frac{1}{4}''$		Per			1 5	

#### Radio Matt Announcement Slides.

The Ideal Slide for Special Announcements.

Ready for Typing .... .... .... Box of 72 12 0

# SEATING Cinema Chairs are Palmer's Cares.

PATHE'S NEW TRADE SHOW THEATRE.

George Palmer supplied these TUB TIP-UPS.





Our
Cinema
Experience
commenced
in Year
1902.



We have over 5,000 Tip-up Chairs in Stock, all at CHEAP PRICES.

## WE HOLD THE LARGEST ASSORTED STOCKS OF NEW RECONDITIONED AND SECOND HAND TIP-UP CHAIRS.

A few of our purchases of Seats included the Following Theatres :-

THEATRE ROYAL, BRIGHTON.
EMPIRE, LEICESTER SQUARE.
STOLL'S LONDON COLISEUM.
TIVOLI, STRAND.
KING'S THEATRE, HAMMERSMITH.

WIMBLEDON THEATRE.
ROYALTY, RICHMOND.
KING'S, CHELSEA.
WEMBLEY EXHIBITION.
OLD VIC., WATERLOO ROAD.

Etc., Etc., Etc.

### George Palmer's Hustle in the Floods.

S.O.S. message received 3-30 Saturday Afternoon, Jan. 7th, from Grand Theatre, Fulham—

We are Flooded out! Can you hire us 400 Seats at once?

Being Saturday afternoon and all staff away with the exception of two, this was a problem. Prompt service was given, and within four hours these 400 tip-up seats had been delivered.

#### EXHIBITORS KINDLY NOTE.

When in any difficulty for either CINEMA SPARES OR TIP-UP CHAIRS—first phone Regent 1475 or Regent 5475.

### George Palmer's, 13, Gerrard St., London, W.1.

Stores: 45, Gerrard Street, also Midford Place, Tottenham Court Road, W.

#### CINEMA AND THEATRE SEATING.

Good Pictures well projected and enhanced by good music are always a certain attraction, but many exhibitors fail to realise the importance of Comfortable Seating. The passing of the hall with badly-designed seating is slowly but surely coming, in the country as it has done in the large towns.

GOOD SHOWS plus GOOD SEATING=GOOD HOUSES. (Exhibitors' Historical Note.)

#### Tip-Up Cinema Seats.

A SMALL SELECTION OF TIP-UP SEATS FROM OUR STOCKS OF OVER 5,000. Colours:—RED, BLUE, GOLD and GREEN, etc.



PERFORATED WOOD SEATS, 18" centre, with 6" Deep Back, and

RED REXINE, PINCUSHIONED SEATS, 18" centre, with 6" Polished Wood Backs, and No Arm Type Standards. Per set, 10/6

No Arm Type Standard. Per set, 8/9

RED VELVET, LISTERS, PINCUSHIONED, 18" centre, with 6" Polished Wood Backs and No Arm Type Standards. Per set, 11/9



centre, with 6" Backs, Polished Wood Arm Pads, and Arm Type Standards.

Per set, 9/9

CORDUROY PADDED SEATS, 20" Centre, with 6" Backs, Polished Wood Arm Pads and Arm Type Standards. Per set, 10/3



RED VELVET, LISTERS, PADDED SEATS, 20" centre, with 6" Backs, with Polished Wood Arm Pads and Arm Type Standards. Extra good. Per set, 11/9

VELVET, LISTERS, SPRUNG SEATS, 20" centre, with 6" Pincushioned Backs, with Polished Wood Arm Pads and Arm Type Standards. Extra good. Per set, 12/9

RED VELVET, LISTERS, SPRUNG SEATS, 20" centre, with 9" Pincushioned, Polished and Panelled Backs, with Polished Wood Arm Pads and Arm Type Standards.

Per set, 13/9

RED REXINE, SPRUNG SEATS, 20" centre, with 9" Padded Backs, with Show Wood Tops and Sides, Polished Wood Arm Pads and Arm Type Standards. Good condition.

Per set, 12/3



VELVET, LISTERS, SPRUNG SEATS, 18" centre, Polished Threeply Underseats, with 6" Backs, Polished Wood and Polished Wood Arm Pads and Arm Type Standards. Perset, 12/9

RED CORD, SPRUNG SEATS, 20" centre, with 9" Deep Backs, Polished Wood Arm Pads and Arm Type Standards. Good condition.

Per set, 11/6





RED CORD, SPRUNG SEATS, 20" centre, with 12" Fully Covered Backs, Polished Wood Arm Pads and Arm Type Standards. Per set, 13/9

RED VELVET LISTERS, SPRUNG SEATS, 20" centre, with 12" Fully Covered Backs, Polished Wood Arm Pads and Arm Type Standards. As new. Per set, 16/9


centre, with 12" Fully Covered Backs, Polished Wood Arm Pads and Arm Type Standards. Per set, 14/3

RED CORD, SPRUNG SEATS, 20" centre with 12" Pincushioned and Panelled Backs, with Polished Wood Arm Pads and Arm Type Standards. Good condition. Per set 14/9



TUB SEATS. Tub Seats 20" centre, strongly made and well finished, covered in Listers Velvet in any colour £2 15 0 each.

### Spare Standards for Tip-up Seats and Running Seating.



2/3 each.

Other Patterns Prices from 2/9 each.

OUR ENORMOUS STOCKS OF STANDARDS ENABLE US TO SUPPLY YOU WITH "REPLACEMENTS"

OF PRACTICALLY ANY SHAPE OF STANDARD REQUIRED. ALL ARE FINE

CAST AND BEAUTIFULLY FINISHED IN OLD GOLD.

Separate Booklet sent on application.

#### CLIENTS WISHING TO RECOVER THEIR OWN TIP-UP SEATS.

We specialise in supplying good hard wearing Corduroy and Velvet of any shade and colour to suit Clients requirements.

Corduroy from 3/3 per yard. Listers Velvet from 9/- per yard. FREE SAMPLES SENT ON APPLICATION.

#### Strong Electric Torches.

Large Size,  $9\frac{1}{2}'' \times 1\frac{1}{2}''$ , 3-cell Refill, Cloth Covered Case, Combined Lever Flap and Push Contact for momentary or permanent lighting.



ELECTRIC TORCHES. Very strong.	0 11 D	1 /	 			6
ELECTRIC TORCHES REFILLS."	3-cell. Ever Ready.		  Dries no	each		0
EVER-READY TORCH REFILLS.	2-cells, each		 Price pe	r dozen		8
	Per dozen		 		1	0

Phone Numbers: Regent 1475 and 5475. Wires: Geremlapsi, London.

### PALMER'S SPARES FOR TIP-UP CHAIRS.

OUR STANDARD POLISHED WOOD ARM RESTS.



Samples Post Free.
7/- per dozen, or 6/- per dozen in
Gross Lots.



The Scroll.

Beautifully smoothed and handpolished in a warm Rich Mahogany finish.

Single Dozen .... **12**/- doz. Per Gross .... **10**/6 ,,



6" Backs Fully Covered.
In Red or Blue Cord each 2/6

Ditto Lister's Red Velvet ,, 3/6



12" Backs Show Wood Top.
Red or Blue Cord each 4/9
Ditto Red Velvet ,, 6/6



Solid Backs Hard Wood Polished Mahogany Finish.


 $18'' \times 6''$  deep each 1/10  $20'' \times 6''$  deep ,, 2/-



9" Backs Fully Covered.

In Red or Blue Cord each 3/9
Ditto in Lister's Red

Velvet each 5/-





Samples gladly sent for Testing.

Prices from 1/- each.



 $18'' \times 6''$  or  $20'' \times 6''$ Pincushioned in
Lister's Red Velvet

'each 3/10



12" Backs Fully Covered. In Red or Blue Cord each 4/6 Ditto in Lister's Red Velvet .... each 6/3

SPRINGS FOR TIP-UP SEATS.




Price 2/6 per dozen.

### Saddle Standards for Tip-up Chairs.

N	o. 58.	For deep flat back, with saddles	··· with s	saddles	2/9 4/3	each
	o. <b>73</b> .	For flat shallow back, with saddles				
	o. 73N	A. For flat back, with saddles				

# Standards for Tip-up Chairs

The following illustrations are a few of the many Pin and Saddle patterns that we specialise in supplying:-



No. 30 is suitable as end standard for No. 8 or No. 8 NA.


No. 54 is suitable as end standard for No. 20.

Should you have any difficulty in obtaining any special pattern standards, please let us have details as we specialise in supplying standards of all shapes.

No. 3 fc	or flat back								2/0	each
No. 3NA	, for flat back								2/3	3 ,,
										1 ,,
No. 8NA									2/9	,,
	For deep flat									
No. 20.	For flat back—	-this standard	is supplied	as end st	andard for	r No. 29 or	29NA as	centre stan	dards 4/3	3 ,,
No. 29									2/8	3 ,,
	Δ									5 ,,
	This fancy end								3/1	0 ,,
No. 41.	For flat back								2/9	,,
No. 41 N	Δ								2/5	5 ,,
No. 53.	For deep back								2/4	1 ,,
No. 54.	This standard	is a suitable e	nd standard	d for use	with No. 1	14 centre s	standards		3/1	11 ,,

### Clear-Lite Interchangeable Signs

FOR BOTH DAY AND NIGHT.




YOUR OPERATOR CAN IN 15 MINUTES QUICKLY CHANGE THE ENTIRE WORDING OF THIS SIGN.

STRIKING VISIBILITY
BY DAY.

ARRESTING BRILLIANCY
BY NIGHT.

LOW CURRENT CONSUMPTION.



INTER-CHANGEABLE!

INTER-LOCKING!!

INTER-CONNECTING!!!

THE COMPACTNESS OF THIS SIGN ENABLES SAME TO BE EASILY READABLE WHEN STANDING IMMEDIATELY UNDERNEATH THE SIGN. THIS IS A SPECIAL FEATURE WHEN COMPARING SAME WITH OTHER MAKES OF SIGNS.

12"×9" SIGN, Completely W	rired with Metal I	Blank (Less	Lamps)	 	 19/6 each.
12"×9" LETTER FACE				 	 11/9 each.
$18'' \times 12''$ SIGN, Completely V	Wired with Metal	Blank (Less	Lamps)	 · · · calchi	<b>26/6</b> each.
18"×12" LETTER FACE				 	 14/9 each.

#### COMBINED ENGAGED SEAT AND NUMBER INDICATOR.

This useful accessory is a GREAT TIME SAVER, same obviates the usual ugly and untidy cardboard Engaged Seat cards, which hang at all angles on theatre chairs. SIMPLICITY in itself—a slight movement of the finger immediately displays the Engaged Section, or by a simple twist of the finger the reverse quickly slides the Engaged disc out of sight, simply showing number of seat.

Very Strong and Well Finished-Price: 1/6 each; Per Doz., 15/-

#### THIS IS WHAT YOU HAVE BEEN WAITING FOR

### The New Changeable Electric Letter Sign

FOR STAGE, SCREEN, STREET, OR LOBBY DISPLAY.

#### THE ADSIGN.



An Electric Letter Sign composed of individual units, the letters of which are interchangeable. New announcements can be made at any time and as often as desired. Anyone can, without previous experience, change the Adsign letters. No trouble, no fuss, no bother, no expense. You make a new announcement every day or every week as you like. A complete change can be made in a few minutes.

THE ADSIGN WILL SELL MORE TICKETS THAN ANY OTHER ADVERTISING MEDIUM.

# The Attention compelling Sign.

On the stage, at the foot of the screen, in the lobby, over the exit doors, or across the front of the theatre the Adsign makes a clear, attractive, attention-compelling sign. During the performance the Adsign may be lighted or darkened as you wish. Lighting it does not affect the perfect projection of the film. Vari-coloured lamps may be used to blend in with your colour schemes or stage setting. The illumination from the rear of the Adsign will serve as footlights, if you so desire.

#### CAN BE MADE TO FIT ANY SPACE YOU WISH TO FILL.

SERVES EQUALLY WELL BOTH DAY AND NIGHT.

#### NO UPKEEP COST.

Because there is nothing about the Adsign to get out of order there is no mechanical upkeep cost. Every part is guaranteed mechanically perfect. The first cost is the last cost. The Adsign will last as long as the theatre itself.

#### UNIQUE AND PRACTICAL.

The Adsign is novel and unique; there is nothing else like it and it is highly practical and serviceable. Being made of metal and porcelain, and the letters of glass, the Adsign is strictly fireproof. The Adsign connects to any socket or base-board plug and needs no special connections to wire up.

One Complete Set, consisting of :-

40 Units; 40 Lamps; 12 feet Channelling; 147 Letters, Figures, etc., as follows:—8 E's; 7 I's; 6 each A, O; 5 each L, N, R, S, T; 4 each B, C, D, F, G, H, M, P, U, Y, 1 (figure); 3 each J, V, W, 2; 2 each K, Q, X, Z, 3, 4, 5, 6, 7, 8, 9, 0,; 1 each & ?!, '-; 5 spaces———for £24 0s. 0d.

Cost of Single Articles :-

Metal Blanks, 3d.; Coloured Glasses, 6d.; Black and White Stock Portraits, 2/-; Stock Announcements, 2/-; Special Announcements, 4/-; 1 Unit, 12/-; 1 Lamp, 2/2; Channelling, 1/- per foot; Letters, etc., 9d. each.

The purchaser is not compelled to buy a whole outfit. More or less than 40 Units to the sign would be sold if so desired. The **ADSIGN** may be had in any length, or any number of lengths and can be made to fit any particular location.

Wires: Geremlapsi, London.

DIM



Full to dim by one simple slide movement.

#### Slider Dimmers

FOR SINGLE CIRCUITS.

#### SPECIFICATION.

These resistances are similar to our enclosed type sliders, but the wire is variably wound in a cut groove, and suitably graded.

Each turn thus forms a contact with the brush, giving an almost imperceptible increase or decrease of light.

QUICK BREAK SWITCH can be fitted, to automatically break circuit at end of stroke if desired, at no extra charge.

THESE DIMMERS ARE CONSTANT RATED THROUGH. OUT, AND CAN BE SAFELY LEFT FOR ANY LENGTH OF TIME, IN ANY DESIRED POSITION.

ANY VOLTAGE CAN BE SUPPLIED, BUT WHEN ORDERING PLEASE GIVE VOLTS AND WATTS.

INTERMEDIATE WATTS AT PRICE OF NEXT LARGER SIZE.

List No.	Capacity in Watts.	Size O/A.	Weight Approx.	Price Each	Extra for Screw Motion.	Extra for Two Voltages
D 801	200	$12'' \times 3'' \times 3''$	$3\frac{1}{4}$ lbs.	28/-	18/-	If
D 802	300	$15'' \times 3'' \times 3''$	41 lbs.	32 -	21/-	required
D 803	400	$18'' \times 3'' \times 3''$	5 lbs.	36 -	24/-	must be
D 804	500	$21'' \times 3'' \times 3''$	6 lbs.	40 -	28 -	D 805
D 805	600	$15'' \times 4'' \times 4''$	$8\frac{1}{2}$ lbs.	48 -	21 /-	4/-
D 806	750	$18'' \times 4'' \times 4''$	10 lbs.	56 -	24 -	4/-
D 807	1000	$21'' \times 4'' \times 4''$	11½ lbs.	64 -	28/-	4/-
D 808	1250	$21'' \times 5'' \times 4''$	14 lbs.	72 -	28 -	4/-
D 809	1500	$22'' \times 7'' \times 5''$	18 lbs.	84 -	30/-	4/-
D 810	2000	$22'' \times 7'' \times 8''$	24 lbs.	104 -	30/-	4
D 811	2500	$25'' \times 7'' \times 8''$	27 lbs.	128 -	32 -	4/-
D 812	3000	$28'' \times 7'' \times 8''$	28 lbs.	140/-	38 -	4/-

These Dimmers have been installed with complete success in many West End Theatres, also various other London and Provincial Theatres.

These Dimmers are particularly suitable for small special stage effects, as the variation of light obtainable is very fine indeed.

They are complete self-contained units, protected with stove-enamelled perforated steel cover, enclosed terminals, and controlled by simple vertical slide movement.



### Liquid Soap Dispenser

Diameter of Container,  $4\frac{3}{8}$ in. at top. Overall width, 6in.

**AUTOMATIC.**—Press down the lip with one hand and the liquid soap drips into the other.

**INEXPENSIVE.**—Once installed it lasts a lifetime—and you will save waste of soap.

EASILY FITTED.—Just three screws, that's all.

easily cleaned.—No corners for the dust to lodge—no needless "ornamentation."

PRICE.—White Enamelled, as illustrated, 9/6 each.

Polished and Nickel-plated, 14/- each.

# Gangway Letters and Numerals.


These are strongly made and well finished in brass. They are now being universally used to indicate both to the attendants and your Patrons the position of the various priced seats. They are very effective and save quite a lot of time, as Patrons can also quickly find their own seats.



3"	size—in Letters or Numerals	 	 	 	 11/- per doz
4"	size—in Letters or Numerals	 	 	 	 <b>15</b> /- per doz

# G.P. Intensifying Lighting Units.

THIS IMPROVED AND UNIQUE LIGHTING TROUGH is soundly constructed of lead coated steel, well ventilated in every position. All wiring is enclosed in an independent asbestos lined metal trough ensuring ease of inspection. Each section has runners for colour frames, enamelled white inside, and fitted to our special G.P. INTENSIFYING REFRACTORS, giving exceptional brilliancy over a wide area. These metal refractors need no polishing. The whole is semi-glossy, black finish outside. This unit can be used either as a Batten Float or Ground Row. In each case the light being conveniently distributed, and used as a Float, up shadows are almost eliminated. Each section is wired with B.C. Porcelain holders, complete with colour medium.



THE PRICE FOR THIS 6 UNIT SECTION, AS ILLUSTRATED, LESS LAMPS	 £6 6s. (	0d.
PRICE FOR EACH SEPARATE ADDITIONAL SECTION, EXCLUSIVE OF LAMP	 £1 1s. (	0d

Colouring your Picture Screen creates additional attraction to your Cinema by using the following colours, also creates additional interest in your pictures:—


PURPLE for Passion Scenes.

GREEN for Fear and Terror.

RED for Life and Gaiety.
YELLOW for Jealousy, etc.

Colour is also compelling and stimulating. Our Experts are always available to advise you.

Phone Numbers: Regent 1475 and 5475. Wires: Geremlapsi, London.



George Palmer's Cares are Cinema Spares